q_id	q_desc	op1	op2	ор3	op4	ans
AC1	The field can have a value between in FA	0 to 9	1 to 100	10 to 60	None	Α
	Package.					
AC10	In tally to display a list of inventory reports we press	F9	F7	F10	F12	Α
	function keys					
AC11	To print reports we use key in tally	Ctrl+p	Alt+p	Shift+p	None of the above	В
AC12	In tally alt+p is used for	Print view option	Print	Report	None of the above	Α
AC13	In tally,to change the date of the voucher press	F2	F4	Ctrl+f2	Ctrl+f4	Α
AC14	Import and export of data between tally and other programs is	ODBC(open database	OLE(object linking &	Clipboard	None of the	Α
	possible through the tally program	connectivity)	embedding)		above	
AC15	In tally,in ratio analysis we press function		Alt + f6 function	F7 function key	None of the	Α
	key in the display of bills receivable, bills payables report		key		above	
AC16	In tally , to select a company we press	F1	F2	F3	F4	Α
AC17	Tally is based on mercantile accounting system	TRUE	FALSE			Α
AC18	In tally,during voucher entry are used	Groups	Ledger accounts	A or b	None of the above	В
AC19	In tally,base currency information is available in	Voucher entry	Company	Tally audit	None of the	В
	screen		creation		above	
AC2	Default ledger accounts in tally are	profit & loss profit	Profit & loss and	Cash and profit	Cash and	С
		& loss and trial	trial balance	& loss	bank	
AC20	Default 'godown' name in tally is	<u>balance</u> Primary	Main location	A or b	None of the above	В
AC21	Tally vault' is a	Security mechanism	Ledger a/c	Cost category	None of the above	Α
AC22	To create a sales voucher in tally , you have to press	F5	F7	F8	F9	D
AC23	In tally,"credit note" records entry for	Sales return	Purchase return	a or b	None of the above	Α
AC24	In tally you get currency symbol option from menu	Company creation	Stock items units	Regional setting		A
AC25	gives the balance for each day for the voucher type	Trial Balance	Daybook	Balance Sheet	None of the	В
	has been selected.				above	_
AC26	Tally can maintain company type 'accounts with inventory' by	TRUE	FALSE			Α
	activating feature integrate the accounts with inventory					



AC27	For 'stock journal' entry we press in tally	F7	Alt + f7	F10	F11	В
AC28	In tally, method of voucher numbering is/are	Automatic	Manual	None	All of the above	D
AC29	In tally,number of users are	2	3	4	1	В
AC3	Projected approximation of income or expenses is called	Balance sheet	Profit & loss a/c	Budget	None	С
AC30	"Administrator" type user is also called 'Auditor' of a company in Tally	TRUE	FALSE			Α
AC31	Name of the developer of tally is	Peutronics Pvt. Ltd.	Putronics Pvt. Ltd	Puetronics Pvt. Ltd.	Pentasoft	Α
AC32	Method of voucher numbering is Tally5.4 is/are	Automatic	Manual	None	All of the above	D
AC33	In tally,we use F12 function key for	Enter document	Change configuration	A or b	None	В
AC34	To create a log of the import activity in a file is located in the same directory as an executable program in tally	Tally.imp	Tally.ini	A or b	None	A
AC35	In Tally,valuation method option is available from	Stock summary	Stock journal	Stock analysis	None of the above	Α
AC36	Tally audit feature is available in a company	By pressing f11 function key	During the creation of a company	In 'comp info -> security control' option	None	В
AC37	In tally,changes of areas are tracked in the	One	Two	Three	Four	В
, .00.	audit features			111100		
AC38	In tally,group company can also be a constituent(member) of another group company	TRUE	FALSE			Α
AC39	In tally budget can be on	Closing balance	Net transactions	Both a and b	None	С
AC4	The file maintains data that describes the supplier past transaction with the firm in terms of material quality in AIS	Supplier	Suspense	Order	All of the	A
AC40	In tally,a member company can be a member of more than one group company	TRUE	FALSE		above	Α
AC41	In tally,all the masters havemain options	Two	Three	Four	Five	В
AC42	In tally,to create a new column in balance sheet press	Ctrl+c	Alt+c	Alt+ctrl+c	None of the above	В
AC43	In tally, we can alter ledger details using either single or multiple modes but are not allowed to delete a ledger from multiple modes.	TRUE	FALSE		-	Α
AC44	Tally provides different predefined voucher types.	4	11	16	28	С



AC45	In tally,a group company is marked with an	*	\$	&	٨	Α
AC46	In AIS,the rejected orders will be stored in a new file called	Pending file	Order file	Pending order file	Suspense file	С
AC47	In tally,the group company must contain at least members	Two	Three	Four	One	Α
AC48	AIS is a requirement for a firm not a choice .	TRUE	FALSE			Α
AC49	Data processing consists of major tasks in AIS.	4	3	2	1	Α
AC5	From voucher entry mode , if we press then we get payment voucher in tally	F4	F5	F6	Alt+f5	В
AC50	In AIS,data manipulation can be classified by ways	1	2	3	4	D
AC51	A good example of AIS is the one that is used by distribution firms engaged in distributing products or services to their customers	TRUE	FALSE			Α
AC52	DFD document in AIS is called as diagram	Flow	Chart	Context	All of the above	С
AC53	All the rejected orders will be stored in file in AIS	Customer	Suspense	Order	None of the above	В
AC54	To change the period in tally press	F2	F4	Alt+f2	Ctrl+f2	С
AC55	Copy of supplier's invoice is called in AIS	Packing slip	Gate pass	Challan	None of the above	O
AC56	Different types of valuation methods are available in tally if you press	F7	Alt+f7	Ctrl+f7	F6	Α
AC57	In tally ,ctrl+n is used for	Valuation	Text	Open calculator	None of them	С
AC58	In tally,for backup of a company , press	F3	F4	F7	None of them	В
AC59	What is the default financial year in Tally5.4	1-4-1995 to 31-3-	1-4-1996 to 31-3-	1-4-1997 to 31-3-	None of the	В
		1996	1997	1998	above	
AC6	In AIS "decrease of idle machine time and increased output by proper scheduling" is it true in AIS?	Yes	No			Α
AC60	You will get company information , if you press from gateway of tally	F3	Ctrl+f3	Alt+f3	None of the above	С
AC61	Default stock category in tally is	Main location	Primary	Symbol	None of them	В
AC62	Tally format of data is compatible with other formats and the mode of data exchange happens through XML(Extensible Mark-up Language)	True	False		-	A
AC63	The orders that can be filled, are entered in a file	Open	Reorder	Back order	All of the above	С
AC64	Default number of groups in tally are	128	228	28	16	С
-00						



AC65	Orders that do not pass the credit check are filled in the file in AIS	Sales order	Sales order credit	Sales order credit reject	All of the above	С
AC66	Accountss receivable report provides a clear picture of outstanding for in Tally	Customers	Suppliers	A and B	None	Α
AC67	The basic steps for accounts compilation are	2	4	6	10	В
AC68	An is the official notice that the firm sends to its customers to advise them of the amount of money that is	Invoice	Bill	All of the above	None of the	С
AC69	'EDI' stands	Sales local cash/cheque	Sales local credit	A and B	Above None of the above	Α
AC7	In tally, the use of group behaves like a sub-ledger, option is that we can summarize many ledger accounts into one line statements	TRUE	FALSE			A
AC70	Tally encrypts and stores TALLY DATA at the data directory	True	False			Α
AC71	In AIS, the information stores in a database is called	· Components	Computer Based	Company Based	All of the	В
		Based Information	Information	Information		
	subsystems	System	System	System	above	
AC72	The accounts payable system is responsible for paying the suppliers for the	Sales	Purchases	A or B	None of the above	В
AC73	The value of the inventory is included as an asset on the balance sheet	True	False			Α
AC74	It is necessary to manipulate data to transform it into	- Report	Output	Information	None of the above	С
AC75	EDI stands for	Exchange Data and Information	Electrical Data Interchange	Electronic Data Interchange	None of the above	С
AC76	statements help management in the decision making process	Cash Flow	Fund Flow	Cash Flow & Fund Flow	None of the above	С
AC77	A Group Company is simply a name and an identify given to	True	False			Α
	the merged accounts member companies of the group.					
AC78	Owner(Security Control) has full access and rights to all parts of Tally except	Tally Vault	Tally Audit	Both A and B	None of the above	В
AC79	A Group Company can also be a constituent of another Group	False	True			В
	Company					



AC80	Tally provides the capability to the administrator/auditor to	Changes in	Changes in	Both A and B	None of the	С
	track changes in the areas is/are	transactions or vouchers	Ledger Masters		above	
AC9	Tally can maintain budget	On net transactions	On closing balance	Both a & b	None	С
BC1	ISDN stands for	Integrated	Integrated	Integrated	None of the	С
		system dynamic	Symbolic Digital	Services Digital		
		networks.	networks.	network.	above.	
BC10	The computer which can receive data from other computers on the network and print it is	File server	Printer server	Receiver	None of the above.	В
BC11	The hardware and the software requirements together form the	platform	configuration	package	system	Α
BC12	ATM, Asynchronous transfer mode is a technology.	MAN and WAN	LAN and WAN	LAN and MAN	LAN WAN and MAN	В
BC13	is designed telephone system	ISDN	ATM	Internet	Intranet	Α
BC14	Expansion of ISDN is	Internal Services	Internal Services	Integrated Services Digital	None of the	С
		Digital Network	Design Network	Network	above.	
BC15	Expansion of WBT is	Web based Training	Web based Technology	Web based Transport	Web based Transaction	
BC16	connects LANs.	Bridges	Routers	Protocol	Repeaters	
BC17	Collection of instruction is called a	procedure	batch	command	program	D
BC18	Combination of alphabetic and numeric data is called data	alpha numeric	alpha beta	numerous alpha		A
BC19	Computers can be classified based on, and	space occupied,	cost,	size,	input,	С
		price, no. of	performance	performance,	output, performanc	
		users allowed	their ratio	cost	e ratios	
BC2	is the Worlds largest computer network .	Ethernet	Internet	ARPANET	None of the above.	В
BC20	are used in large organizations for large scale jobs	mini computers	microprocessors	PCs	mainframe s	D
BC21	is responsible for feeding data into the computer	input	output	feed	write	Α
BC22	is the capability of the o/s to run numerous applications simultaneously	multiprocessing	multithreading	multiplexing	multitaskin g	D



BC23	involves conversion of raw data into some	interpreter	compiler	converter	process	D
	meaningful information					
BC24	is responsible for obtaining the processed data from	input	processor	ram	output	D
	the computer					
BC25	printers use light to produce the dots needed to form	impact printers	drum printers	non-impact	thermal	С
	pages of characters			desktop printers	printers	
BC26	Hardware components in a computer are	operating	control program,		CPU,	D
		system,	interpreter,		memory,	
		bootstrap, kernel,	-	program,	input,	
		•		to the second bear	•	
D 0 0 7		shell	compiler	keyboard, bus	output	
BC27	software are programs that are complex and can be developed or purchased	operating system	application software	windows 95	interpreter	В
BC28	is a set of special instructions used to communicate	batch	protocols	software's	procedures	C
BC20	effectively with the computer	Daten	protocois	Soliwares	procedures	C
BC29	converts a high level language into machine	processor	compiler	assembler	coder	В
	language	p				
BC3	is/are a popular front end tool	visual basic	power builder	SQL * plus	all of the	D
					above	
BC30	translates assembly language program into machine	compiler	interpreter	assembler	processor	С
	language instructions					
BC31	software enables users to send and receive data	application	system	operating system	communica	D
	to/from remote computers				tion	
BC32	A is a running instance of an application	project	model	pilot project	process	D
BC33	Splitting of CPU's time for different tasks prevents	multiprocessing	multithreading	multiplexing	multitaskin	D
	time slicing				g	
BC34	computers are used in large organizations for large	mainframes	super computers	micro computers		Α
	scale jobs which have large storage capacities				above	
BC35	is responsible for all calculations and logical	control unit	arithmetic and	central	none of the	В
	operations that have to be performed on the data		logic unit	processing unit	above	
BC36	printer use laser light	band printer	drum printer	non impact printer	none of the above	С
BC37	software enhances the user to enter ,store, manipulate	data	word processing		none of the	В
	and print any text	management		spreadsheet	above	
BC38	software enables users to send and receive data	integrated	communication	idea processor	none of the	В
	to/from remote computers	software	software		above	
BC39	is the temporary storage place for deleted files	my computer	recycle bin	Microsoft	none of the	В
				exchange	above	
BC4	When LAN connected together ,it is called	MAN	WAN	GAN	None of the	В
					above.	



BC41language consists of strings of binary numbers assembly machine high level language language language BC42 symbol is used to represent processes like assigning terminator processed connector a value to a variable or adding a number symbol symbol symbol BC43 is an example for micro computer PC-at hp vectra system fazitsu vp200 series BC44 capability supports concurrent users doing multiprocessing multithreading multiplexing	none of the above none of the above input/output symbol IBM-PC	В
BC42 symbol is used to represent processes like assigning a value to a variable or adding a number symbol symbol symbol symbol BC43 is an example for micro computer PC-at hp vectra system fazitsu vp200 series BC44 capability supports concurrent users doing different tasks	above input/output symbol IBM-PC	В
BC42 symbol is used to represent processes like assigning terminator processed connector symbol symbol symbol symbol BC43 is an example for micro computer PC-at hp vectra system fazitsu vp200 series BC44 capability supports concurrent users doing multiprocessing mul	input/output symbol IBM-PC	
a value to a variable or adding a number BC43 is an example for micro computer BC44 capability supports concurrent users doing different tasks BC44 capability supports concurrent users doing different tasks	symbol IBM-PC	
BC43 is an example for micro computer PC-at hp vectra system fazitsu vp200 series BC44capability supports concurrent users doing multiprocessing m	IBM-PC	
BC44capability supports concurrent users doing multiprocessing multithreading multiplexing different tasks	none of the	В
BC45 The do not have processing power of their own and "dumb terminals" dumb servers dummy terminals	above	D
	dummy	Α
has only a screen, keyboard and the necessary hardware to communicate with the host. For this reason, the terminals are		
referred as BC46 Ais nothing but a PC with a network operating system wan distributed windows NT computing system	LAN	D
BC47system is responsible for handling the screen and user host server back end I/O processing	front end	D
BC48 The handles data processing and disk access in a host server back end Client/Server architecture	front end	С
BC49 Both the DBMS and the application resides on the same Component in a system Component in a computing	centralized	Α
	None of the	С
protocol/Internet communication control protocol/Internet		
	above.	
BC50 When all the processing is done by the mainframe itself, the server host processing dumb processing	data	В
	processing	
<u> </u>	many	Α
	relational database	D
system database system database system		
BC53 A new user initiates a new process of execution at the multiprocessing multithreading multiplexing background, while the user can continue his query process as	none of the	В
usual in the foreground. This situation is referred to as	above	
acaa iii alo lologi callai lillo citaation lo lololloa to ac	disk	D
BC54 The process of data being automatically written to a duplicate repairing redo logging disk	uion	



BC55	Modem stands for	Code/De-code	Modulation/Dem odulation	Module/De- module	None of the above	В
BC56	Multiple changes to the same record or a field are prevented by the DBMS through	fixes	locks	constraints	traps	В
BC57	allows an application to multitask within itself	multiprocessing	multithreading	multiplexing	none of the above	В
BC58	LAN stands for	Linear area networks	Local area networks	Local array of networks.	None of the above	В
BC59	New process of execution is referred to as	task	process	thread	client- server	С
BC6	Data is broken into small unit called	Cells	Bits	Packets	None of the above.	С
BC7	SMTP stands for	System modulation transfer protocol	Software Mail transmission protocol	Simple Mail transfer protocol	None of the above.	С
BC8	The protocol is a network protocol to be built for the World Wide Web .	Transfer Protocol	Transmission protocol	Hyper text	None of the above.	С
BC9	ATM stands for	Aggregate transfer mode	Asynchronous transfer mode	Area transfer mode	None of the above.	В
CA1	Using generalized audit software packages can add a lot of	to an audit department's products &	to add customers	all the above	none of	Α
	value	services			these	
CA10	is used for CAAT as database	Oracle	ACL	JCL	none the above	Α
CA100	Generalized audit software perform auditors to undertake any past records and not concurrent auditing	True	False			Α
CA101	Generalized audit software is a file whose capabilities for verifying processing is logic	True	False			В
CA102	CAAT's are computer program and data that auditor uses as part of the audit procedures to process data if audit significance contained in an entity information system	True	False			A
CA103	CAAT do not contains package programs, purpose written program, utility programs or system management programs	yes	no			В
CA104	Embedded audit routines are sometimes built into an entity's	true	false			Α
CA105	computer system to provide data for later user by the auditor SCARF involves embedding audit software modules within an	true	false			Α
	application system to provide continuous monitoring					



CA106	Concurrent use auditors as the member of the system	true	false			Α
CA107	Regular cross system verification may minimize frauds	true	false			Α
CA108	Computer security is frequently associated with	true	false			Α
	confidentiality, integrity and authentication					
CA109	Data reserve engineering process metadata to document	true	false			Α
	system and abstract business rules and relationship					
CA11	The first step for developing CAAT is	to determine the	review and	to obtain a	extract data	Α
			evaluate the			
		audit objective	types of data	record layout	from file	
CA12	Using the open database connectivity feature in ACL is	can bring the	can bring the	all the above	none of the	Α
		data directly	data indirectly		above	
CA13	Computer Assisted Audited Technique involves the use of	True	False			В
	computers through "Black Box Approach"					
CA14	White Box Approach necessary involves expert knowledge on	True	False			Α
	the part of Auditor					
CA15	The transition from manual system to CIS environment bring	change in the	use of	absence of audit	all the	D
		method of				
		recording	accounting			
		accounting				
	dramatic changes including	transaction	codes	trails	above	
CA16	Auditing with computer necessarily supports the	documents	risk driven	unique approach		В
		driven approach			above	
CA17	CAAT involves an Auditors' appreciation of	hardware and	processing	checks and	all the	D
		software	options, file data			
		configuration	structure	controls	above	
CA18	Widespread end use computing result in unlimited errors	true	false			Α
	creeping into system going to accept handling, thereby					
	increasing audit risks					
CA19	For computerized auditing usage of sophisticated audit	true	false			Α
	software would be a necessity					
CA2	Important knowledge needed to begin planning the use of	the source of	source of data	all the above	none of	Α
		data available to	for material			
		the audit				
	CAAT is	organization	planing		these	
CA20	The move towards paperless EDI would eliminate much of the	true	false			Α
	traditional audit trail, radically changing the nature of audit					
	evidence					



CA21	Computer operation controls are designed to provide	the of by all	providing access	use of any	none of the	D
			to computer to all			
			organization			
		concerned	personnel	programs	above	
CA22	Systems development control, apart from others, include	true	false			Α
	authorization, approval, testing, implementation and					
	documentation of new systems software and system software					
2400	modification	. 1/	/ 1		11 (1)	
CA23	A system could be	natural/man-	open/closed	conceptual/physi	all of them	ט
CA24	A system exhibits 'entropy'	made true	false	cal		Α
CA25	Super computer are the largest and fastest and is very	true	false			A
UAZU	suitable for commercial application including audit work	lide	laise			Α
CA26	Assembler language uses Mnemonic symbols	true	false			Α
CA27	Operating systems are devised to optimize the machine	scheduled jobs	manage	enable multiple	all the	D
		•	hardware &	•		
			software	user resource		
	capabilities, the function include		resources	sharing	above	
CA28	General purpose software provides a framework for highly	true	false			В
	complex scientific operation					
CA29	In batch processing, transactions are processed one after	true	false			В
0.1.0	another	101 100	101 1 0			
CA3	The use of computer assisted audit techniques is not gaining	with audit	with production	all the above	none of	Α
0400	popularity not only	departments	departments		these	Δ.
CA30	On-line processing refers to grouping of transaction and	true	false			Α
CA31	processing the same in one go from start to finish	truo	false			٨
CASI	Real time refers to the technique of updating files with transaction data immediately after the occurrence of the event	true	Taise			Α
	to which it relates					
CA32	In OLRT the CPU should process the capability of program	true	false			Α
0, 102	interruption	udo	Taioo			,,
CA33	Time sharing system allow access to a CPU from remote	true	false			Α
	terminals					
CA34	DSS is defined as a system that provides tools to managers to	true	false			В
	assist them in solving structured problems					
CA35	DSS has the following components	databases	planning	model base	all the	D
			language		above	
CA36	Master files contains current records for identification and	true	false			В
	summarizing					



CA37	Transaction files contain relatively permanent records take	true	false			В
	product profile, customer profile, employee profile etc					
CA38	Master file configuration includes	reference files	table files	report files	none of the above	D
CA39	is a file management software package that lets users and programmers organize data into files and then process those files	filex	file-o-man	file manager	filepet	С
CA4	CAATS provide added value to the clients because	to have a	decentralized	all the above	none of the	Α
		complete picture	picture of a			
		of a system	system		above	
CA40	File volatility refers to the number of addition and deletions to the file in a given period of time	true	false			Α
CA41	File activity is the proportion of transaction file records that	true	false			В
	are actually used and accessed in a given processing run:					
CA42	File interrogation refers to the of information from a file	back-ups	retrieval	deletion	addition	В
CA43	One -to-one relationship means a single entity to a single entity in a monogamous structure	true	false			Α
CA44	RDBMS is structured to a series of 2 dimensional tables	true	false			Α
CA45	SADB stands for	seriously affected	subject area	software and	safety and	В
		database	database	database	database	
CA46	Controls are present over many aspects of the computer system and its surrounding social environment	true	false			Α
CA47	In framed checking the data entry is checked against an expected picture or format	true	false			В
CA48	Errors are correlated	at the year end	immediately	on quarterly basis	none of the above	В
CA49	Field check is exclusive to a field	true	false			Α
CA5	law basically states that there is a specific probability of the first digit of a no. being 1,2,3 etc	Benfish	Benford	Benjamin	none of the above	
CA50	Check digit is a group of nos. added to a code for determining the accuracy of other digits in the code	true	false			В
CA51	Hierarchical code means	consecutive nos.	blocks of nos. to	random	none of the	D
		or alphabets to	the primary attribute of the	placement of		
İ		entities	the entity	component	above	
			•			



CA52	The validation checks applied to a field depend on the field's	true	false			Α
	logical inter relationships with other fields in the record					
CA53	The contents of a field could determine sign for a	valid, numeric	invalid,	none of the	all the	Α
	field		alphabetic	above	above	
CA54	Batch is the process of together that bear some	grouping,	regrouping,	none of the	all the	Α
	type of relationship to one another	transaction	events	above	above	
CA55	Hash totals means meaningless totals	true	false			Α
CA56	With OLRT where interactive data entry is available, the	true	false			Α
	master file associated with a transaction may be searched for confirming data					
CA57	Controls are required for authorization to ensure data	true	false			Α
	integrity and detect possible breaches in security					
CA58	Data from client application are not stored in the	true	false			В
	organization's database through auditables events and					
	function					
CA59	All input records in a batch are normally of different types	true	false			В
CA6	IDEA stands for	incremental	interactive data	interactive data	none of the	В
C 7 1 C		design and	extraction and	innumerable		
		enlarge activity	analysis	analysis	above	
CA60	A transaction file is sorted prior to the update of master file	true	false			Α
CA61	A sequence check on the transaction or master files by an update program is not required	true	false			Α
CA62	Whenever monetary transactions are processed against	true	false			В
CAUZ	master files, the update program should maintain a	true	laise			D
	correlation account to record such transaction that does not					
	have a matching master file record					
CA63	Internal tables are stored tables from which certain values are	truo	false			Α
CAOS	extracted for further processing and storing	uue	laise			A
CA64	For small to medium sized systems, individual modules are	e-brain	bouncing ball	big-bang	ctub	С
CA04	coded and individually tested and then assembled to be	e-brain	bouncing ball	big-barig	stub	C
	<u> </u>					
	tested as a whole-the testing strategy is referred to as					
CA65	In systems testing, test involves	bottom up tests	top-down tests	hybrid tests	all the	D
					above	
CA66	Recording transactions in a controlled manner may amount to	yes	no			В
	loss of stored data					



CA67	Audit software is used by the auditor to	read data on	provide	re-perform	all the	D
				procedures		
			information to	carried out by the clients		
		client's file	the audit	programs	above	
CA68	Core image comparison is a software used by the auditor to	executables,	deleted, hard	none of these	all the	Α
	compare version of a program with a secure					
	сору	master			above	
CA69	Database analyzer is a software which provides detailed	true	false			Α
	information concerning the operation of the database					
CA7	SAS stands for	system analysis	system	all the above	none of the	Α
			advanced			
		software	software		above	
CA70	Embedded code is a software used by the auditor to examine	true	false			В
	backup data					
CA71	Embedded code performs wide variety of audit task	yes	no			Α
CA72	Core image comparison is particularly useful where only	true	false			Α
	executable versions are distributed					
CA73	Log analysis is a software used by auditor to detect virus	true	false			В
CA74	On line testing techniques the auditor data either	manipulates, real	create, false	none of these	all the	Α
	or fictitious in order to see that a specific program or					
	sever edit test is doing its work				above	
CA75	Mapping software is used by the auditor to list unused	true	false			Α
	program instructions					
CA76	Mapping software has very objectives	yes	no			Α
CA77	Modeling is a variety of software which	can be very	can enable the	can provide the	all of the	О
			auditor to	auditors with		
		powerful	execute	useful		
		powonai	provisions on a	information with		
			number of	trend s and		
		analytical tool	different bases	patterns	above	
CA78	On line testing can be targeted for specific functions carried out by programs	yes	no			Α
CA79	Program code analysis involves	provides detailed	identifies	examination of	none of the	С
	-		program code	source code of a		
			which may be	program with		
		information of	there for	advice to		
				following the		
			fraudulent	logic of a		
		machine uses	reason	program	above	
CA8	is a software of CAAT	IDEA	ACL	ALC	ACLL	В



CA80	Snapshot is software which takes a picture of a file or data or	true	false			Α
	a transaction passing though the system	4				
CA81	Base case system evaluation includes	fictitious data	comparison of	analyzing the	all the	Α
		applied against the client	source version of	picture of a file		
		program	a programmed	or data	above	
CA82	While base testing forces on finding if there are any defective	true	false			Α
	execution policies in a program					
CA83	Black box testing seeks to determine whether application	true	false			Α
0404	output is what it is supposed to be		()			٨
CA84	In integrated test facility approach the auditor should ensure	true	false			Α
	that the impact of test transaction is subsequently eliminated					
	from the computer files					
CA85	Black box testing is based and white box testing is	specification,	file, hardware	none of the	all the	Α
	based	program		above	above	
CA86	Source code review means	identifying	identifying	identifying non-	all the	D
		erroneous code	ineffective code	standard code	above	
CA87	In formula in flow hypothesis the auditor should expand the	true	false			Α
	extent of substantive tests to determine how the defects may					
	impact the attainment of the program objectives					
CA88	All material application oriented events that occur within the	true	false			Α
	boundary subsystem should be recorded in the accounting					
	audit trail					
CA89	In examination of audit trail the following data associated with	start and finish	authentication of information	resource	all the	D
	an event may be	time	support	requested	above	
CA9	JCL means	job control	job connectivity	all the above	none of the	Α
		language	language		above	
CA90	Audit should be periodically analyzed to detect any control	yes	no			Α
	weakness of the system					
CA91	In an accounting audit trail, intrusion detection system might	true	false			Α
	monitor the amount of processor time consumed by the user					
	to detect unusual deviation from the amount processor time					
	requested by the user in the past					
CA92	A sample size calculator program assists auditors in	true	false			В
	determining RAND() function					



CA93	Generalized audit software consists	package	mathematical	master list of	administere	Α
		computer				
		p[program for			d	
		performing a				
		variety of data			questionnai	
		processing				
		function	concept	transactions	re	
CA94	Specializes audit program may be	prepared by the	prepared by the	prepared by an outside programmer engaged by the	all the	D
		auditor	entity	auditor	above	
CA95	Generalised audit software could be used by the following in	true	false			Α
	consistencies or significant fluctuations					
CA96	Generalized audit software function include	file	statistical/arithm	stratification and	all the	D
		access/organizati		frequency		
		ons	etic operation	analysis	above	
CA97	In the file reorganization merging capabilities are needed in	true	false			В
	data from separate file is to be combined on a separate work file					
CA98	Auditors cannot use generalised audit software to extract the	true	false			В
	data needed for audit purpose					
CA99	Auditors can combine functional capabilities of generalized	examining the quality of system	carrying	examining the	all the	D
	audit software to accomplish the task of	process	analytical review	quality of data	above	
DA1	Sequence Check is a level control check.	Field	Record	Both	None of the above	Α
DA10	Analyse data over two or more periods is called	- Horizontal	Vertical	A or B	None of the Above	Α
DA11	We use Hash Total to identify within a series where there is a definite relation between items	Duplicate Value	Combined Value	Gaps	All of the above	С
DA12	Analyse fields by arranging them into rows and columns is called	Cross Tabulate	Filter	Merge	None of the above	Α
DA13	function searches for a value in the leftmost	RAND()	VLOOKUP()	HLOOKUP()	None of the	В
	column of a table and then returns a value in the same row	V	V	, , , , , , , , , , , , , , , , , , ,		
	from a column that we specify in the table.				above	
DA14	To import data from Access to Excel ,it is not possible to link	TRUE	FALSE			Α
	between Access and Excel sheet	-	-			
DA15	The GAP detection options can be used to test for	TRUE	FALSE			Α
	completeness of data.					



DA16	Exception testing can be used to identify items	Unusual	Strange	A or B	None of the above	С
DA17	Data validity test represents	exception testing	comparison of data	duplicates testing	All of the above	D
DA18	Year end ledger, inventory files or transaction files can be tested for cut-off, to ensure that the data has been provided is for the correct audit period	True	False			A
DA2	In Range Check, the data may not be in proper sequence but should be within a predetermined range	True	False			Α
DA3	In Check data entry follow a particular sequence and also a predetermined range.	Limit	Sequence	Range	Both B & C	В
DA4	'Set mapping' Check control that follows a text-type	Excel	Access	Both	None of the	В
DA5	validation, we use application for data analysis. Excel can import data from other databases for the data analysis.	True	False		above	Α
DA6	A System Auditor can uses CAAT tools to analyze data	False	True			В
DA7	In the case of the control, it is ensured that the data in combination with other fields are reasonable as per standard set by an organisation.	Valid Signs	Transaction type	Limit Check	Reasonabl	D
DA8		HLOOKUP	VLOOKUP	A or B	None of the above	В
DA9	Most of the tools use in Data Analysis depends on	DDE	OLE	ODBC	All of the above	С
DB1	data type is generally used for fields assigned as primary keys in a table	integer	number	primary number	auto number	D
DB10	MS access objects can be published in the web	true	false			Α
DB100	In code-builder, got_focuse, click,dbl_click,enter are examples of	actions	events	procedures	none of the above	В
DB101	can be used to automate certain actions in response to events	report	form	chart	macros	D
DB102	In the macro sheet the macro is selected in thefield	macro	expression elements	comments	action	D
DB103	To build complex expressionsis used	calculator	code builder	expression builder	expression elements	С
DB104	The three list boxes present at the bottom of the expression	action list	macro list	expression	none of the	С
	builder are called			elements list box	above	
DB105	option is selected from the view menu to create macros with conditions	conditions	action	insert	none of the above	Α



DB106	report can be created with minimum user input	tabular	columnar	auto report	embedded	С
DB107	layout of a form displays one record at a time	tabular	columnar	datasheet	justified	В
DB108	The table or query name on which we are going to build our	create report	link report	embedded report	new report	D
	report is selected from the dialogue box					
DB109	andare the two types of auto reports available	columnar and	stable and	dynamic and	none of the	Α
		tabular	unstable	static	above	
DB11	There are no wizards for creating a database in access	true	false			В
DB110	option from the insert menu option is chosen to add an	create fields	add chart	chart	insert chart	С
	embedded chart					
DB111	In ms-access, while using SQL, references constraint is used for creating	primary key	alternate key	foreign key	none of the above	С
DB112	is used to create a mailing label	label wizard	chart wizard	mail wizard	none of the above	Α
DB113	header is present at the beginning of the report	start header	group header	page header	report header	D
DB114	is present at the bottom of each page in a report	report footer	page footer	group footer	none of the above	В
DB115	In SQL, having clause is used for	for ordering	for updating	for specifying conditions with	none of the	С
		records	records	group by clause	above	
DB116	field is added to the macro sheet when we select	condition	group	macro names	none of the	С
	grouping option from the view menu				above	
DB117	can be used to create toolbars	VB Modules	reports	forms	macros	D
DB118	query is used to add records from one or more tables into an existing table	add	append	insert	delete	В
DB119	window is used to write VB code in access application	report	macro sheet	module	none of the above	С
DB12	Values for other tables, queries are maintained in look up fields data type	true	false			Α
DB120	Visual Basic language is a tool	RAD	RAP	RAID	none of the above	Α
DB121	function is used to display a message box	SysCmd	MsgBox	message	none of the above	В
DB122	Other ms-office applications can be accessed from ms-access using a concept called	OLE	DDE	CME	none of the above	A
DB123	OLE stands for	object linking and embedding	on line execution	on line editing	none of the above	Α
DB124	The application that supplies data in OLE is called an	OLE object	OLE client	OLE server	OLE communica tor	С



DB125	If any change made on the object from the client side is	linked	embedded	connected	edited	Α
	reflected on the server then the object is said to be					
DB126	is the file format that works on internet	exe	DLL	BMP	html	D
DB127	is used to convert any ms-access object into html	form wizard	report wizard	query wizard	publish to	D
	format				web wizard	
DB128	option in publish to web wizard produces a page that	etatic file	static html	dynamic file	none of the	D
DD 120	is static in nature	Static file	Static Hilli	dynamic me	above	Ь
DB129	query is used to create or change database objects in	annend	add	insert	data	D
	a current database	арропа	uuu	moore	definition	
DB13	Currency fields express the amount in	dollars	rupees	pesos	yen	Α
	is selected from the toolbar to add an OLE object	unbound object	bound object	command button		В
						_
DB131	To display an OLE object in the form of an icon option is	display as icon	display	link	create icon	Α
	selected from insert object dialogue box					
DB132	option from the file menu is selected to run 'publish to	create html	new	save as html	none of the	С
	the web wizard'				above	
DB133		startup	home	end	none of the	В
	rest of the pages in the application				above	
DB134		bullet	command	procedure	none of the	С
	based on a Visual Basic language				above	
	Ms access is a	DBMS	RDBMS	front end	language	Α
DB136	A collection of data stored in different objects is known as a	data group	data collection	database	data	С
					storage	
DB137	A blank database can be created using	new dialog box	new blank	new database	database	Α
			database dialog	dialage bass	dialag bay	
DB138	Text type data can be of characters in ACCESS	255	64000	dialog box 235	dialog box 63500	Α
DB130	Text type data can be of characters in ACCESS is a datatype that assigns values automatically	automatic	AutoNumber	number	automatic	В
DB 139	is a datatype that assigns values automatically	number	Autonumber	number	field	Ь
DB14	Tables cannot be imported from other databases	true	false		neid	В
	If two tables having same values for the fields are joined it is	inner join	outer join	explicit join	none of the	
	called an	,	7		above	
DB141	Duplication of records in a field won't be allowed if the fields	primary key	not null	candidate key	no	Α
		, , ,		•	duplicate	
	are declared a				key	
DB142	Changes from a master table can be reflected on to the child	cascade delete	cascade change	cascade update	change all	С
					related	
	table by selectingoption	related records	related records	related fields	records	
DB143	To see more than one record at a time in a form we use	columnar	tabular	both a and b	none of the	В
					above	



DB144	In SQL, delete command is used to remove	table or tables	query or queries	record or records	none of the above	С
DB145	In MS-Access, filter excluding selection will display only those record(s) which meet the criteria.	true	false			В
DB146	Properties of the fields are managed by in Dynaset	property field	field property	Dynaset field properties	properties	В
DB147	queries allows us to view data in row by column manner	crosstab queries	row/column queries	select queries	update queries	Α
DB148	The type of queries that can update or delete record(s) in a table(s) are called	action queries	row/column queries	change/delete queries	update queries	Α
DB149	Joining tables without any matching values in the fields is called	inner join	self join	no match join	outer join	D
DB15	Primary key uniquely identifies each record	true	false			Α
DB150	Which of the following dialog box is/are used in the creation of form	new form dialog box	form create dialog box	form wizard dialog	both 1 and 3	D
DB151	query wizards are used to generate summary calculations for a table	summary	sum	append	simple	D
DB152	Properties of a form can be changed by selectingfrom view menu options	change properties	properties	form properties	new properties	В
DB153	Forms that are included in other forms are called	included form	sub form	new form	child form	В
DB154	In MS-Access, while using form design view, for creating a command button for adding a new record, we should select	Record	Record	Form Operations	None of the	В
	the category from the command button wizard	Navigation	Operations		above	
DB155	form displays fields in a single horizontal row	columnar form	tabular form	hierarchical form		В
DB156	The process of arranging the data in a meaningful order is known as	filtering	ordering	sorting	querying	С
DB157	are used to select only some particular records from the table or any other database objects	filter	sorts	pipes	gateways	Α
DB158	In MS-Access, user may specify criteria for filter in form view using	filter by form	filter by selection	filter by menu	None of the above	Α
DB159	wildcard character represents any single character	*	\$	@	?	D
DB16	Records cannot be sorted by a primary key	true	false			В
	A control without a data source is known as	bound control		data less control	data control	
DB161	Set of related option buttons, check boxes and toggle buttons is known as	button group	option group	controls group	record group	В



DB162	The collection of related data and objects is called a	database	form	collection	none of the above	Α
	Which of the following is control types	bound	unbound	controlled	all of the above	С
DB164	In MS-Access, the function that gives the current date is	CURRDATE()	TODAY()	DATE()	DAY()	С
DB165	is a control that lists set of data	text box	list box	combo box	static text	В
DB166	is a form that summarize large amount of data	pivot table	columnar form	tabular form	main form	Α
DB167	allows to create a filter by typing the value in a data sheet	data sheet filter	filter by input	filter by form	none of the above	С
	Wizards for toolbox controls are called a	button wizard	control wizard	option control wizard	tool wizard	
	The wild card representation for any 5 letter word that starts with ram is	ram*	ram??	two of the above	none of the above	В
DB17	Look up fields slow up data entry	true	false			В
DB170	is an access object that displays un-editable data	report	form	table	ledger	Α
DB171	option from the new object toolbar gives the easiest way of generating a report	autoreport	report	module	none of the above	Α
DB172	represents data in a pictorial format	chart	label	bitmap	report	Α
DB18	Changes of one table can be carried over to another related table	true	false	·		Α
DB19	Hyperlinks are used to jump to any kind of information or data from a file	true	false			Α
DB2	The memo field can have text upto characters in length	60,000	255	25,000	64,000	D
DB20	In MS-Access, columnar layout can be used to view multiple records in a form	true	false			В
DB21	In MS-Access, alter command may be used in adding a primary key to a table	true	false			Α
DB22	Update query is used to add records from one or more tables to the end of an existing table	true	false			В
DB23	In ms-access, datasheet view is available in	table	query	form	all of the above	D
DB24	are used to jump to any kind of information from a datasheet or a form	table	form	report	hyperlink	D
DB25	Home page will always be present as a first page of an application	true	false			Α
DB26	Make table queries create a new table from the records of another table	true	false			Α



DB27	In ms-access, to protect a database file from illegal access,	Insert	Records	Tools	none of the	С
	we may set database password. The option of setting					
	database password is available in menu				above	
DB28	Foreign key is a field that uniquely identifies each record and	true	false			В
	accept no null values					
DB29	Data definition queries are used to create or change database	true	false			Α
	objects					
DB3	The attributes of a composite key are known as	alternate keys	composite keys	candidate keys	primary key	C
DB30	OLE object is a data type in access	true	false			Α
DB31	Data displayed in forms cannot be edited	true	false			В
DB32	A sub form is used to display one to many relationship	true	false			Α
	between tables					
DB33	We can switch from datasheet view to form view by selecting	true	false			Α
	view -> form view option					
DB34	In MS-Access long integer is a datatype	true	false			В
DB35	In MS-Access, while designing a table for a particular field, the	null	not null	zero	none of the	В
	Required parameter is set to yes. This validates the field as					
					above	
DB36	Sorting is applied to select only some particular records	true	false			В
DB37	Filter by form can be created from a forms shortcut menu	true	false			В
DB38	Advanced filter uses a filter similar to the query design	true	false			Α
	window to create a filter					
DB39	? Wildcard character represents any number of characters	true	false			В
DB4	of the following is/are a type of chart	pie	bar	both 1 and 2	none of the	С
DB40	A bound control is tied to a underlying query or table	true	false		above	Α
DB41	A calculated control uses expression as a source of data	true	false			Α
DB42	Text boxes cannot be bound controls	true	false			В
DB43	The default query invoked by ms-access is	update query	select query	delete query	append query	В
DB44	A control can be bind to a record using row source property	true	false		quoty	В
DB45	List box is a control that offers a list of choices	true	false			Α
DB46	If a table is joined to itself it is called a	inner join	outer join	self join	table join	С
DB47	A picture box combines the activities of both a text box or a list box	true	false	· ·	•	В
DB48	Line is a tool box control	true	false			Α
DB49	Text boxes can be part of a option group	true	false			В
	The second secon					



DB5	chart exists as a separate object	freestanding	embedded	stand alone	sub chart	D
DB50	Filtering data is a way of arranging data in a meaning full	true	false			В
	order					
DB51	Wild card characters are used for sorting records	true	false			В
DB52	Pivot tables are used to navigate to the other tables in a	true	false			В
	database					
DB53	Reports are used to represent un-editable data	true	false			Α
DB54	In MS -Access, the records in a table are sorted based on	the first field of	the last field of	primary key field	none of the	С
		the table	the table		above	
DB55	Relationship is an association between	forms	reports	attributes	entities	D
DB56	Summary options dialog box is used to summarize data	true	false			Α
DB57	queries can be used to delete a group of records that	delete	insert	append	add	Α
	meet some specific records					
DB58	Charts can convert numerical data in a easily understandable	true	false			Α
	format					
DB59	Embedded charts exist separately	true	false			В
DB6	The chart which cannot exists as a separate entity are	freestanding	embedded	stand alone	sub chart	В
DB60	From ms - access, if we want to view the records stored in a	use hyperlink	use import	use datasheet in	use export	D
	table in ms - excel worksheet, we need to			forms		
DB61	Page header is present at the beginning of each record	true	false			В
DB62	Detail section has a header and footer	true	false			В
DB63	A macro is performed only when the user initiates an event	true	false			В
DB64	The macro is selected from the action field of a macro sheet	true	false			Α
DB65	A macro can be made to execute before the starting of a database	true	false			Α
DB66	In MS-Access. While appending records, the source and the	true	false			Α
	target table must have similar structure and fields					
DB67	We can add our own functions to the expression elements list	true	false			Α
	box of the expression builder				*	
DB68	is the wildcard character which represents the	&	#	?	*	D
5500	presence of any number of characters					
DB69	Macros can be used to add a menu to a database object	true	false			A
DB7	header is a unique feature of reports	page	detail	group	topic	С
DB70	Chart can either be a form or a report	true	false			Α
DB71	Group header will be present at the design view of a report	true	false			В
	even if the report is not grouped					



DB72	We can change from the design view to the form view without	true	false			Α
	being prompted for saving the changes made					
DB73	Charts can be produced without the wizard	true	false			В
DB74	Macros can be used to create user defined error messages	true	false			Α
DB75	Between and Not Between is type of operators	relational	list	range	logical	С
DB76	The default data type of VB is integer	true	false			В
DB77	Visual Basic is based on	action language	structured query	event -	none of the	С
				procedural		
			language	based language	above	
DB78	is the name of the database object that displays data	report	form	query	table	В
	and can be used to edit data					
DB79	In access OLE objects cannot be linked	true	false			В
DB8	section is present for each record in the report	group	record	session	detail	D
DB80	A sheet lists all the properties that pertain to the	data	property	both a and b	none of the	В
	form or the controls				above	
DB81	Textboxes can also be an example of unbound control	true	false			Α
DB82	In MS-Access, we may design command buttons for navigating records	true	false			Α
DB83	are forms that are included in other forms	sub forms	child forms	inner form	none of the above	Α
DB84	are used to represent our data in graphical format	graphs	chart	labels	report	В
DB85	A field with a uniquely identifies each record	number	primary key	index	identifier	В
DB86	Large amount of data can be summarized using tables	pivot	create	form	none of the above	Α
DB87	are employed to select only some particular records from a database object	filters	queries	sorts	forms	Α
DB88	control need not have a data source	form	bound	unbound	none of the above	С
DB89	control combines the functionality of both a text box and a drop down list	list box	combo box	button	option button	В
DB9	MS access is a DBMS	true	false			Α
DB90	A form can be bind to a record source using property of the form		control	record source	none of the above	
DB91	forms displays field in single row	tabular form	chart form	data sheet form	none of the above	Α
DB92	forms are usually used for tables with one to many relationship	sub forms	tabular form	columnar form	none of the above	Α



DB93	control uses an expression as a source of control	calculated	bound	unbound	none of the above	Α
DB94	control is tied to field	calculated	unbound	bound	static	С
DB95	is the form that can be created with minimum input	sub form	auto form	tabular form	columnar	В
DB96	from the user	ant relation		rolotionobino	none of the	
DB96	option from the tool menu is selected for setting relationships between tables	set relation	connect	relationships	above	C
DB97	, and are the buttons belonging to the	option, toggle	command	list, check and	option	D
		1,11,11,11			button,	
		and sammand	button obook		toggle	
		and command	button, check		button and	
					check	
	options group	buttons	and list boxes	combo boxes	boxes	
DB98	allows us to create a filter from a field short cut	filter by form	filter by report	filter by record	filter by	D
	menu				input	
DB99	is a database object which displays data but cannot	form	report	macro	table	В
	be used to edit data					
DS1	means the result of applying to specific	Digital Sign	Digital Certificate	Digital Signature		С
5010	information certain specific technical processes.				above	
DS10	is an algorithm which creates a digital	Hash Function	Digital Signature	Digital Certificate	Private Key	А
	representation or "fingerprint" in the form of a "hash result".					
DS11	is of standard length which is usually much	Hash Function	Hash Value	Hash Result	Either B or	D
	smaller than the message but nevertheless substantially					
	unique to it.				С	
DS12	Digital Signature involves two processes. They are	Digital Signature	Digital Signature	Both A and B	Either A or	С
	and .	creation	Verification		В	
DS13	The Costs of Digital Signature consists mainly of the	Institutional	Subscriber	Institutional	None of the	Α
		Overhead and				
		Subscriber	Relying Party			
		Relying Party				
	following	Cost	Cost	Overhead	above	
DS14	CA stands for	Certification	Certified	Certificate	None of the	Α
_		Authority	Authority	Authority	above	
DS15	A Digital Certificate is issued by a Certification Authority and	True	False			Α
	is signed with the CA's Private Key					
DS16	A Digital Certificate does contain Owner's Public Key,	True	False			В
	Owner's name, Expiration date of the Private Key, Serial					
	number of the digital certificate					



DS17	enable web servers to operate in a secure	Server Certificate	Developer	Personal Digital	None of the	Α
	mode.		Certificate	Certificate	above	
DS18	are used by individuals when they exchange	Server Certificate	Developer	Personal Digital	None of the	С
	messages with other users or online services.		Certificate	certificate	above	
DS19	are on-line databases of certificates and	Private	Repositories	Public Key	none of the	В
	other information available for retrieval and use in verifying					
	digital signatures.	Certificate			above	
DS2	Signing Writings serve the following general	Evidence,	Approval,	Efficiency and	Evidence,	D
					Ceremony,	
		Ceremony,		logistics,	Approval,	
		•		,	Efficiency	
	purposes and	Approval	Evidence	Evidence	and	
DS20	purposes, and The most widely accepted format for Digital Certificate is	True	False	LVIGETICE	Logistics	Α
	defined by the CCITT X.509					٨
DS21	A certificate may prove to be unreliable, such as in situations	True	False			Α
	where the subscriber misrepresents his identity to the					
	certification authority					
DS22	CRL stands for	Certificate	Certificate	certificate	None Of	Α
				Revocation		
D000		Revocation List	Resource List	Letter	The Above	^
DS23	The prospective signer identified in the digital certificate	Private Key,	Public key,	Private Key,	None Of	Α
D004	holds the and is called the	Subscriber	Recipient	Recipient	The Above	
DS24	A "recipient" of the certificate desiring to rely upon a Digital	Recipient Party	Relying Party	Either A or B	Neither A	В
	Signature created by the subscriber named in the certificate is				Б	
DCOF	called the	Dublic Kov	Drivete Key	Both A and B	nor B Both B and	
DS25	The Relying Party can use the listed in the	Public Key	Private Key	Both A and B	Both B and	C
	certificate to verify that the digital signature was created with the corresponding				٨	
DS26	Digital Signatures are used for a variety of Electronic	E-mail	Electronic	Electronic Fund	All The	D
D320	Transactions like	L-mail	Commerce	Transfers	Above	D
DS27	To associate with a key pair with a prospective signer, a	Not False	Not True	Hallsters	Above	Α
D021	Certification Authority issues Digital Certificate	NOT AISE	NOT THE			$\overline{}$
DS28	Digital Signatures, if properly implemented and utilized offer	Closed	Formal Legal	Open System	Formal	D
2020	Digital Digitatales, il property implemented and utilized offer		i omiai Logai	Open Oystein	Legal	<u></u>
	promising solutions to the problems of Imposters, Message	System,Formal			Requireme	
	p	Legal			nts, Open	
	Integrity, and	requirements	Requirements		System	



DS29	In, Digital Signature, perform the "ceremonial"	Affirmative Act	Efficiency	Signer	None of the	Α
	function of alerting the signer to the fact that the signer is					
	consummating a transaction with legal consequences			authentication	above	
DS3	A Digital Signature must have the following attributes	Signer	Document	Both A and B	Neither A	С
	and	Authentication	Authentication		nor B	
DS30	"Hash Function" is used in both creating and verifying Digital	Not True	Not False			В
_	Signature			-		
DS4	provides assurance of the origin or delivery of	Nonrepudiation	Digital signature	Digital certificate	Private Key	Α
	data in order to protect the sender against false denial by the					
	recipient that the data has been received, or to protect the					
	recipient against false denial by the sender that the data was					
	sent.	Service				
DS5	serves the ceremonial and approval functions of	Affirmative Act	Efficiency	Either A or B	Neither A	Α
	a signature and establishes the sense of having legally					
	consummated a transaction.				nor B.	
DS6	is a branch of applied mathematics concerns itself	Cryptography	Public Key	Private Key	None of the	Α
	with transforming messages into seemingly unintelligible					
	forms and back again.				above	
DS7	The complementary keys of an asymmetric cryptosystem for	Private Key	Public Key	Both A and B	Either A or	С
	Digital Signatures are arbitarily termed as, and					
					В	
DS8	is known only to the signer and is used to create the	Private Key	Public Key	Both A and B	Either A or	Α
	digital signature.				В	
DS9	is ordinarily more widely known and is used by a	Private Key	Public Key	Both A and B	Either A or	В
	relying party to verify the digital signature.				В	
EC1	The acronym for B2B is	Business-to-	Business-to-	Backend-to-	Business-	Α
		Business	Backend	Business	to-Billboard	
EC10	The model is the least intrusive model but	Billboard	On-line Catalog	Endorsements	Broadcast	R
2010	requires active search on the part of the customer	Billboard	Off lifte Oatalog	Litadiscincins	Dioadcast	0
EC11	is / are a form of advertisement where people	Customer	Billboard	Catalog	Broadcast	Δ
	relate their experience with products and services	Endorsements	Diliboard	Odtalog	Dioadcast	/ \
EC12	The are software agents who communicate with	Intermediaries	portals	.COM	Domains	Α
LUIZ	the business merchants on behalf of the customers	intermedianes	portais	.OOW	Domains	^
EC13	The Pre-purchase preparation phase includes	Order Placement	Service	Search and	None of the	C
L013	for a set of products	Cidei i lacement	OGI VIOG	discovery	above	J
EC14	The phase includes customer service and support	Post purchase	Purchase	Pre-purchase	Search and	Δ
LU14	to address customer complaints, product returns and	i ost pulchase	i uiciias c	i ie-puicilase	Jean on and	^
	products defects	interaction	consummation	preparation	discovery	
	products defects	interaction	CONSUMINATION	preparation	uiscovery	



EC15	The allow companies to bypass the need for costly	Billboard model	Online catalog	Endorsement model of	None of the	В
	printed catalogs	of marketing		marketing	above	
EC16	A is a basket on the Net that is used to	Online Catalog	Shopping cart	Billboard	Pulling cart	В
	place the items that are being purchased		Chiopping can		· · · · · · · · · · · · · · · · · · ·	_
EC17	EDIFACT is an abbreviation of	EDI For	EDI For	EDI For	None of the	С
		Administration,	Administration,	Administration,		
		Commerce and	Consumer and	Commerce and		
		Transaction	Transport	Transport	above	
EC18	The allows for protocol conversion and	EDI	TCP/IP	EFT	Gateway	D
	communicates with the bank using the banks private network or the Internet					
EC19	In Ecommerce, data extraction, transforming the data into	Compiler	Interpreter	Assembler	EDI	D
	transmittable form, transmitting the data and downloading the					
	data are the operations employed in					
EC2	The commerce assists in integrating the	Business-to-	Business-to-	Consumer-to-	Customer-	В
	customers and suppliers of the company directly into the				to-	
	organisation	Business	Consumer	Business	Company	
EC20	E-cash means	Emergency Cash	Electronic Cash	Euro Cash	Endorsed Cash	В
EC21	E-commerce is a tool that addresses the desire of firms to cut	Communication	Business	Service	None of the	С
	services cost and improving the quality of goods. It is a		Process			
	definition of e-commerce from	Perspective	Perspective	Perspective	above	
EC22	The small denomination digital tokens are called	Microcash	Micro Transactions	TT(Tiny token)	E-token	Α
EC23	The is the process of encoding information to	Decryption	SSL	Encryption	Subscriptio	С
LO23	The is the process of checoming information to	Decryption	OOL	Liferyption	Oubscriptio	O
	prevent it from being read by unauthorized parties				n	
EC24		Internal Format	External Format	Transmission	None of the	С
	incoming files from the communication service	File	File	File	above	
EC25	The EDI standardisation for International Trade and	ANSI	UN/EBCDIC	UNESCO	UN/EDIFA	D
	Commerce is introduced by				CT	
EC26	In EDI, the transmission files are composed of different sets	batch files	interchange sets	functions	functional	D
	of external format files which are grouped into multiple sets					
	under the name of				groups	
EC27	The are pre-paid credit cards that include	Smart Card	Embedded cards	SET	None of the	Α
	an embedded cards				above	



EC28	are another form of credit payment that	E-cash	Digital Cash	Smart Cards	Electronic	D
	lets customers use digital online cheques to pay Web					
	merchants directly				cheques	
C29	In Active advertisement, there are two types of models. They	Billboards and	Online Catalog	Broadcast and	Online	С
					Catalog	
					and	
					Customer	
					Endorseme	
	are and	Junk Mail	and Billboards	Junk Mail	nts	
EC3	The network based technology is/are	EDI	E-mail	EFT	All of the	D
					above	
EC30	Decryption is a process employed for scrambling of plain text	True	False			В
	for web based transactions					
EC4	Asymmetric cryptosystem is based on and	Login_ld and	Primary Key and	Public Key and	Public Key	D
					and Private	
					and Private	
		Password	Private Key	Password	Key	
EC5	Value Added Network is an example of	Global Network	Private Network	Satellite Area	None of the	В
	• ——			Network	above	
C6	The advertising strategies emerging in the on-line world are	Active or push	Passive or pull-	Glow sign or	All of the	D
		based	based	hoarding		
		advertising	advertising	strategies	above	
EC7	The model use direct mail, spot television or cable	Broadcast	Junk mail	Billboard	Endorseme	Α
	television, in active based advertisement.				nts	
EC8	The is a form of mail that is not targeted to a	E-mail	Bulk-mail	Direct-mail	Junk mail	D
_00	specific audience	2 111011	Dank man	Direct mail	our man	
EC9	The model refers to information that is placed at a	Catalog	Endorsement	Billboard	Broadcast	С
-00	moder refer to information that is placed at a	Catalog	Litabioomoni	Billboard	Broadcact	Ŭ
	point where it will be noticed by customers in the course of					
	other activities and does not require active search					
EX1	other activities and does not require active search The wizard that is used to import text files	text import	convert text to	tip wizard	function	Α
	•	•		tip wizaru		^
EX10	The alphabet indicating the column followed by the row	wizard	columns wizard	column	wizard none of the	٨
= 10	The alphabet indicating the column followed by the row	cell reference	row reference			А
->/44	number is known an	((((((((((((((((((((1 4 2 2	reference	above	
EX11	Which of the following files could not be opened in excel	text files	Lotus 1-2-3	quattropro or	class files	D
				xbase files		
EX12	In excel, the dates that are stored as sequential numbers	serial values	domain values	range values	reference	D
	known as				values	
EX13	The command to display the current date in a cell is	=today()	=date()	=currentdate()	none of the	Α
					above	



EX14	In excel, absolute references are represented by a	dollar sign	' = ' sign	# sign	none of the	Α
EV45	before the column and row addresses	A cot a Occasi	A (= 1711	for all an other and	above	
EX15	The can be used to select the function and	AutoSum	AutoFill	function wizard	none of the	C
EV40	assemble the arguments correctly	1.11			above	_
EX16	Specific parts of information required by functions to perform	variables	arguments	parameters	none of the	В
	certain tasks are called as				above	
EX17	Which of the following do not belong to the formula category	text	logical	numeric	Boolean	D
	in excel environment					
EX18	The function that in used to join cell values together in a single cell	concatenate	pmt	merge	none of the above	А
EX19	The function that is used to count all the values that meet	countif	vlookup	pmt	count	Α
	specific criteria					
EX2	The wizard that is used to create and edit charts	pivot table wizard	chart wizard	convert text to columns wizard	tip wizard	В
EX20	The function that is used to calculate the payment for specific	sumif	pmt	countif	none of the	В
	loan terms				above	
EX21	The function that is used to add together all values that meet	average	sum	sumif	countif	С
	specific criteria is known as					
EX22	The option present in the file menu options is	page setup	print area	print	none of the	Α
	used to specify major facts of the page to be printed				above	
EX23	The command that is used to apply a format automatically	autoformat	AutoFill	none of the above		Α
EX24	The makes the information in a worksheet	bordering	formatting	shading	none of the	B
	meaningful and easy to understand	bordoning	Torrnatting	ondaing	above	_
EX25	A particular part of a work sheet can be printed by setting the	page setup	print area	print	print	В
LAZO	A particular part of a work sheet can be printed by setting the	page setup	print area	print	preview	0
EX26	The process of finding or selecting information is known as	filtering	searching	sorting	none of the	Α
		_	_	_	above	
EX27	The option that is used to cancel the filter process for a	all option	blanks	all blanks	none	Α
	specific column and display all the records is					
EX28	There are types of data tables	1	2	3	4	В
EX29	The tables that allows the user to change or rearrange the	data table	filtered table	index table	pivot table	D
	data, summarize the data and evaluate the data using					
	changing points of view is known as					
EX3	The wizard that is used to suggest hints for doing a task	pivot table wizard	chart wizard	convert text to columns wizard	tip wizard	D
EX30	In a chart Y-axis is known as	series or rank	category	legend	data	Α
L/100	III a viiait i-aais is tiiowii as	JOHOS OF TAHK	outegory	logoria	marker	/ \
EX31	In a chart X-axis is known as	series or rank	category	legend	data	В
					marker	



EX33 is used to differentiate one data series from another series or rank category legend data D marker EX34 The chart that contains only one data series is column chart bar chart pie chart surface C chart EX35 The chart that holds the column chart is column chart bar chart pie chart surface B chart EX36 The chart that display two or more data series on a surface is column chart bar chart pie chart surface D chart EX37 The chart that is used to display discrete data column chart bar chart pie chart surface D chart EX38 are not allowed in a macro name spaces wild card symbols none of the A characters EX39 Which of the following tool cannot be used to view the excel excel97 internet explorer word 2000 A web page EX4 The wizard that used to build an interactive table from data existing on sheets EX40 The chart that is used for displaying stock market information line chart bar chart stock chart pie chart C EX41 In excel, the subtotal command also generates grand total after the last group subtotal EX42 In advanced filter , the criteria occupying multiple columns and or But wavened filter, the criteria occupying multiple columns and or But wavened filter, the criteria occupying multiple columns and or But wavened filter, the criteria occupying multiple columns and or But wavened filter, the criteria occupying multiple columns and or But wavened filter, the criteria occupying multiple columns and or But wavened filter, the criteria occupying multiple columns and or But wavened filter, the criteria occupying multiple columns and or But wavened filter, the criteria occupying multiple columns and or But wavened filter, the criteria occupying multiple columns and or But wavened filter of the criteria occupying multiple columns and or But wavened filter of the criteria occupying multiple columns and or But wavened filter of the criteria occupying multiple columns and or But wavened filter of the criteria occupying multiple columns over time true false Ausian an interactive manner But wavened for indicating fluc	EX32	is a set of tables that describe each of the data	series or rank	category	legend	data	С
EX34 The chart that contains only one data series is		series				marker	
EX35 The chart that holds the column chart is	EX33	is used to differentiate one data series from another	series or rank	category	legend		D
EX36 The chart that display two or more data series on a surface is column chart bar chart pie chart surface D chart EX37 The chart that is used to display discrete data column chart bar chart pie chart surface A chart EX38 are not allowed in a macro name spaces wild card symbols none of the A characters above EX39 Which of the following tool cannot be used to view the excel web page. EX4 The wizard that used to build an interactive table from data existing on sheets EX40 The chart that is used for displaying stock market information line chart bar chart stock chart pie chart C EX41 In excel, the subtotal command also generates grand total after the last group subtotal EX42 In advanced filter, the criteria occupying multiple columns and or B but more than one row, is considered as an criteria. EX43 The stacked bar graphs can be represented in 3-dimensions 4-dimensions Multi-dimensions A EX44 A pie chart can represent only one data series at a time true false A EX45 The generates a summarized report in tabular form in an interactive manner EX46 Which one of the following statements related to stock chart It is also called It shows trends It is often used to It is also used for indicating market prices over a period of the full over time time e chances EX47 The state government needs to finalize a five years plan to implement 100% literacy in the state. Which one of the following of the full one of the full or of the full one of the full one of the full or of the full or of the full or of the full or of the full o	EX34	The chart that contains only one data series is	column chart	bar chart	pie chart		С
EX37 The chart that is used to display discrete data column chart bar chart pie chart surface A chart EX38 are not allowed in a macro name	EX35	The chart that holds the column chart is	column chart	bar chart	pie chart		В
EX38 are not allowed in a macro name	EX36	The chart that display two or more data series on a surface is	column chart	bar chart	pie chart		D
EX39 Which of the following tool cannot be used to view the excel excel97 internet explorer Netscape word 2000 A web page EX4 The wizard that used to build an interactive table from data existing on sheets EX40 The chart that is used for displaying stock market information line chart bar chart stock chart pie chart C EX41 In excel, the subtotal command also generates grand total after the last group subtotal EX42 In advanced filter , the criteria occupying multiple columns and or B but more than one row, is considered as an criteria. EX43 The stacked bar graphs can be represented in 3-dimensions 4-dimensions Multi-dimensions A EX44 A pie chart can represent only one data series at a time true false A EX45 The generates a summarized report in tabular form in an interactive manner EX46 Which one of the following statements related to stock chart It is also called It shows trends It is often used to It is also B used for indicating market prices fluctuations over a period of intemperatur is NOT TRUE? EX47 The state government needs to finalize a five years plan to implement 100% literacy in the state. Which one of the	EX37	The chart that is used to display discrete data	column chart	bar chart	pie chart		Α
EX4 The wizard that used to build an interactive table from data pivot table wizard chart wizard convert text to tip wizard A existing on sheets EX40 The chart that is used for displaying stock market information line chart bar chart stock chart pie chart C EX41 In excel, the subtotal command also generates grand total after the last group subtotal EX42 In advanced filter, the criteria occupying multiple columns and or B but more than one row, is considered as an criteria. EX43 The stacked bar graphs can be represented in 3-dimensions 4-dimensions Multi-dimensions A EX44 A pie chart can represent only one data series at a time true false A EX45 The generates a summarized report in tabular form in an interactive manner EX46 Which one of the following statements related to stock chart It is also called It shows trends display share market prices over a period of indicating market prices over a period of indicating fluctuations in temperatur e chart over time time e changes EX47 The state government needs to finalize a five years plan to implement 100% literacy in the state. Which one of the	EX38	are not allowed in a macro name	spaces	characters	•		Α
EX40 The chart that is used for displaying stock market information line chart bar chart stock chart pie chart C EX41 In excel, the subtotal command also generates grand total true false A after the last group subtotal EX42 In advanced filter , the criteria occupying multiple columns and or B but more than one row, is considered as an criteria. EX43 The stacked bar graphs can be represented in 3-dimensions 4-dimensions Multi-dimensions A EX44 A pie chart can represent only one data series at a time true false A EX45 The generates a summarized report in tabular form in an interactive manner EX46 Which one of the following statements related to stock chart It is also called It shows trends It is often used to It is also B used for indicating in temperatur in temperatur time e changes EX47 The state government needs to finalize a five years plan to Pivot table Scenario Solver Data table. C implement 100% literacy in the state. Which one of the	EX39	_	excel97	internet explorer	Netscape	word 2000	Α
EX40 The chart that is used for displaying stock market information line chart bar chart stock chart pie chart C EX41 In excel, the subtotal command also generates grand total after the last group subtotal	EX4		pivot table wizard	chart wizard		tip wizard	Α
after the last group subtotal	EX40		line chart	bar chart		pie chart	С
but more than one row, is considered as an criteria. EX43 The stacked bar graphs can be represented in 3-dimensions 4-dimensions Multi-dimensions A EX44 A pie chart can represent only one data series at a time true false A EX45 The generates a summarized report in tabular form in an interactive manner EX46 Which one of the following statements related to stock chart It is also called It shows trends It is often used to It is also B display share used for indicating market prices fluctuations in over a period of temperatur is NOT TRUE? EX47 The state government needs to finalize a five years plan to implement 100% literacy in the state. Which one of the	EX41		true	false			Α
EX44 A pie chart can represent only one data series at a time true false A EX45 The generates a summarized report in tabular form in an interactive manner EX46 Which one of the following statements related to stock chart It is also called It shows trends It is often used to It is also B display share used for indicating market prices fluctuations in temperatur is NOT TRUE? EX47 The state government needs to finalize a five years plan to implement 100% literacy in the state. Which one of the	EX42	In advanced filter , the criteria occupying multiple columns	and	or			В
EX44 A pie chart can represent only one data series at a time true false A EX45 The generates a summarized report in tabular form in an interactive manner EX46 Which one of the following statements related to stock chart It is also called It shows trends It is often used to It is also B display share used for indicating market prices fluctuations over a period of temperatur time e changes EX47 The state government needs to finalize a five years plan to implement 100% literacy in the state. Which one of the							
EX45 The generates a summarized report in tabular form in an interactive manner EX46 Which one of the following statements related to stock chart It is also called It shows trends It is often used to It is also Used for indicating market prices fluctuations in temperatur is NOT TRUE? EX47 The state government needs to finalize a five years plan to implement 100% literacy in the state. Which one of the	EX43	The stacked bar graphs can be represented in	3-dimensions	4-dimensions	Multi-dimensions		Α
an interactive manner EX46 Which one of the following statements related to stock chart It is also called It shows trends It is often used to It is also B used for indicating market prices fluctuations in temperatur t	EX44	A pie chart can represent only one data series at a time	true	false			Α
is NOT TRUE? Chart Over time time e changes	EX45		Data table	Pivot table			В
as high-low-close market prices fluctuations over a period of temperatur chart over time time e changes EX47 The state government needs to finalize a five years plan to implement 100% literacy in the state. Which one of the	EX46	Which one of the following statements related to stock chart	It is also called	It shows trends		used for	В
is NOT TRUE? Chart over time time e changes EX47 The state government needs to finalize a five years plan to implement 100% literacy in the state. Which one of the			as high-low-close		•	fluctuations in	
EX47 The state government needs to finalize a five years plan to Pivot table Scenario Solver Data table. C implement 100% literacy in the state. Which one of the		is NOT TRUE ?	chart	over time	time	•	
	EX47	implement 100% literacy in the state. Which one of the	Pivot table	Scenario	Solver		С
the plan ? manager		the plan ?		manager			



EX48	Forecast'99 is a group working on exit poll. It wants to know how many seat ABC party needs to won in totality to obtain majority to form the government. Which one of the following	Goal seek	Scenario	Pivot table	Data table.	Α
	will be the tool that will help the team ?		manager			
EX49	Which one of the following will be the tool that provides a way	Goal seek	Pivot table	Solver	Data table.	D
	to view and compare the results of all the different variations					
	together on the worksheet ?					
EX5	A is an excel file where the user stores his data	Workbook	Worksheet	Spreadsheet	none of the above	Α
EX50	Spreadsheets are useful for	Performing	Performing	Performing text	All of the	D
			database			
		calculations.	operations	formatting.	above	
EX51	Which one of the following is NOT the component of the pivot	Column field	Row field.	Source table	Pivot table	С
	table ?			name.	item.	
EX52	Excel allows upto levels of sorting	two	three	N		В
EX53	Filtering rearranges a list to display the required records	true	false			В
EX54	The stacked bar graphs can be represented in	3-dimensions	4-dimensions	Multi- dimensions		Α
EX55	The generates a summarised report in tabular form in an interactive manner	Data table	Pivot table			В
EX56	Which one of the following statements related to stacked bar	It displays the	It is useful when	It can be		В
			several			
		data series one	components are			
			changing and the	represented in 3-		
		on top of the	user is interested	•		
			in the sum of the			
	chart is NOT TRUE ?	other.	components.	dimensions		
EX57	The state government needs to finalize a five years plan to implement 100% literacy in the state. Which one of the	Pivot table.	Scenario	Solver	Data table	С
	following will be the best tool that should be used to work out					
	the plan?		managor			
EX58	Forecast'99 is a group working on exit poll. It wants to know	Goal seek	manager Scenario	Pivot table	Data table	Δ
	how many seat ABC party needs to won in totality to obtain	Codi Gook	Cooriano	vot table	Data table	/ \
	majority to form the government. Which one of the following					
			manager			
	will be the tool that will beln the team ?		managor			
FX50	will be the tool that will help the team ? Which following function is used in subtotal option	Count	Standard	Sumlf		Δ
EX59	Which following function is used in subtotal option	Count.	Standard	SumIf		Α
EX59 EX6	•	Count.	Standard deviation records	SumIf	worksheets	



EX60	Which two of the following statements related to pivot table	It is a tool for	It is a tool that	It summarizes		Α
		summarizing and	provides a way to view and	the data him of		
		analyzing the	compare the results of all the	the data by using		
		data records in	different	analytical		
		an interactive	variations together on the	•		
	are TRUE ?	manner.	worksheet	functions.		
EX61	Which one of the following is NOT a What-if analysis tool?	Goal seek.	Scenario manager	solver	Pivot table	D
EX7	The wizard separates contents in a cell into	text import	convert text to	tip wizard	function	В
	different cells	wizard	columns wizard		wizard	
EX8	A spreadsheet is a grid of rows and columns and is called as a	worksheet	workbook	tables	database	Α
EX9	Pick out the window that is not a form of excel	application	document	modal window		С
_,		window	window			
IN1	The World Wide Web was devised by	CERN	ECRN	CARN	NET	Α
IN10	The useful URL schemes are and	yahoo and	mailto and files	newsgroups and		
		infoseek		search engines	above	
IN100	The other ways of getting connected to the net are	news	bulletin	application	none of the	В
		groups,yahoo	boards,mails call and wireless	servers,proxy servers and web		
		and infoseek	system	servers	above	
IN101	BBS stands for	bulletin board	business broadcasting	bulletin broadcasting	none of the	Α
		system	system	system	above	
IN102	USENET is a BBS on scale	small	large	very small	none of the above	В
IN103	WINSOCKS is expanded as	windows socks	windows sockets	windows stocks	none of the above	В
IN104	IETF Level 2 HTML DTD supports graphical browsers like	Mosaic	Yahoo	PINE	Lynx	A
IN105	The space used by Netscape to store the retrieved page is called	buffer	cache	built-in	none of the above	В
IN106	The URL for encyclopedia Britannica is	www.ency.in	www.eb.com	www.encybrit.co m	none of the above	В
IN107	maps IP addresses with the domain names of the sites	URL	DNS	FTP	none of the above	В



IN108	Internet can be defined as	internal network	network of network	intermediate network	none of the above	В
IN109	The most important service of the is to manage traffic control	application layer		physical layer	session layer	D
IN11	is a program that displays information about a host connected to the net	finger service	ping service	ftp service	none of the above	Α
IN110	is a program or a tool that helps in locating a file anywhere on the net	FTP	TELNET	ARCHIE	none of the above	С
IN111	URL stands for	uniform research locator	uniform resource locator	unlimited restore locator	none of the above	Α
IN112	IN an URL the word before the color refers to	host computer	name of the resource	scheme	none of the above	С
IN113	A always begins with a slash	message	scheme	command line	none of the above	
IN114	Prodigy is run by IBM and	Delphi	Microsoft	sears	general electric	С
IN115	The World Wide Web is referred to shortly as the	net	web	browser	editor	В
IN116	Gopher and WAIS enables the user to	browser	read the Usenet news	search for database	none of the above	С
IN117	is the program used to run CompuServe's regular services	CompuServe internet dialer	spy mosaic	wincim or maccim	none of the above	С
IN118	Navigating through the menu of gopher is called moving around	gophering	gopherspace	cyberspace	none of the above	С
IN119	The directories that come with built-in engines are yahoo,lycos and	Alta vista	open text	excite	none of the above	В
IN12	To use the finger command,SLIP users must run a programme called	finger server	ftp server	web server	none of the above	Α
IN120	The web maps are called	list	directories	image list	none of the above	С
IN121	Directories consists of levels	no	maximum of five	one	many	В
IN122	The level gives the broadcast overview of the net	middle	lower	top	middle and lower	D
IN123	The huge list of keywords from important items is called	hotlist	directory	index	glossary	С
IN124	The two types of search in veronica are and	directory search,index search	index search,menu search	menu search,item search	item search,inde x search	С
IN125	searches by keywords	infoseek	excite	lycos	all the above	D
IN126	Mosaic displays links in color whereas does not display links in color	netshark	cello	lynx	all the above	С



IN127	supports one button publish	lynx	mosaic	Lycos	navigator gold 2.0	С
IN128	SPY MOSAIC is distributed by	Microsoft	internet	IBM	CompuSer ve	D
IN129	is a program that helps us to log on to other networks	Usenet	finger service	ftp	telnet	D
IN13	HTTP is the acronym for	Higher text	Hyper text	Hyper text	Hyper text transfer	С
		transfer protocol	transmission port	transfer protocol	port	
IN14	is used to transfer and copy files over the internet	iccp	ftp	uucp	none of the above	С
IN15	is a program that helps us to log on to other networks	yahoo	ftp	telnet	none of the above	С
IN16	TCP/IP stands for	transfer control	transmission control protocol/internet	•	none of the	В
		protocol/internet		protocol	above	
IN17	Archie servers can be accessed in different ways in internet	one	two	three	none of the above	<u>C</u>
IN18	is the computer on the internet that translates between the internet domain names and the internet numeric	ftp servers	domain name	web servers	none of the	В
15.14.0	address	4	servers	4	above	
IN19	TIA stands for in internet	the internet adapter	the internet administration	the internet access	none of the above	A
IN2	Service indicates the name of the used to access data, present on the other end of the link.	browser	protocol	site	organizatio n	В
IN20	HTTP stands for	hotlink text	hyper text	higher type	none of the	В
		transfer protocol	transfer protocol	transfer protocol	above	
IN21	is used to link pages in the world wide web	universal		uniform resource		В
		resource locator	locator	label	the above	
IN22	FAQ stands for	frequent asked query	frequently asked question	frantically asked		В
IN23	The internet adapter is a programme that makes our	SLIP,PPP	TCP,IP	IP,UDP	none of the	Α
INIO 4	connection act like aor aaccount	- connection	rooponos	roquost	above	^
IN24	The step involved in Communicating between the web clients and servers is		response	request	close	Α
IN25	WSIRC stands for	wide search for		world search for	none of the	В
		information and	internets relay	information and		
		research	chat	research council	above	



IN26	Two of the important browsers are and	lynx,minx	netscape,ie	mosaic,gopher	none of the above	В
IN27	Lynx is a programme that works with terminals	world wide web server	world wide web client	interface	none of the above	В
IN28	The huge list of keywords from important items is called an	glossary	index	hotwords	none of the above	В
IN29	VERONICA is an acronym for	very easy and rodent oriented net wide index to computerized archives	very organised network integration and communication application	verification on network integration and communication	none of the above	Α
IN3	The first freenet is created at the and is called	university of berkeley,berkele y freenet	university of	university of California net	none of the above	В
IN30	are defined as ways of communication amongst networks	protocols	IP address	dns	none of the above	Α
IN31	and are web searching features	search engines,directori	ftp and finger	telnet and ftp	none of the above	Α
IN32	WINWAIS has two source lists namely and	es allsrc,winsocks	wais,allsrc	wais,winsocks	none of the above	В
IN33	is also called as WAIS manager	allsrc	waisman	winsock	none of the above	В
IN34	HTML stands for	higher text medium language	hyper transfer markup language	hyper text markup language	none of the above	С
IN35	The system of interlinked documents is known as	hot links	hyper text	books marks	none of the above	В
IN36	The small programmes that create animation, multimedia, real-	images	applets	animation	none of the	В
IN37	time games and multi user games are called The information displayed on the web page includes, and	graphics,videos, audio	programms,imag es,text	animation,scripts,executables	above none of the above	A
IN38	The web pages that represent online home of their author are called		home page	welcome page	none of the above	
IN39	GNN stands for	global network news	global networks navigator	grand network news	none of the above	
IN4	is the most popular internet service	yahoo service	electronic mail	search engines	none of the above	В



IN40	The online service offered by navigator gold 2.0 are	email and net	Netscape page starter site,netscape	yahoo and	none of the	В
	and	conference	page wizard	altavista	above	
IN41	is a program or a tool that helps us find a file anywhere on the net	newsgroup	telnet	ftp	archive	D
IN42	The databases to enable keyword search using Lycos are a2z,	Lycos catalog	point review	all the above	none of the above	D
IN43	is a large worldwide bulletin board service network	apple link	bitnet	Delphi	fidonet	Α
IN44	BABEL consists a glossary of	computer related abbreviations	biographical	bookstores	none the	D
		and acronym	information		above	
IN45	Dictionaries, encyclopaedias, government and other references			more information		Α
	are found in	Britannica	works			
IN46	Yahoo,lycos,excite and webcrawlers are	search engines	web directories	database	channel	В
IN47	GIF is the acronym for	Graphical interpreter formatting	Graphical interchange Format	Graphical interface format	Graphical Interface format	В
IN48	JPEG is the acronym for	Joint Pictures Expert Group	Jumbled pictures expert graph		Joint pictures experiment al group	A
IN49	The Web aids users to explore the	mails	documents	net	browsers	С
IN5	The three most popular mailer are, and	yahoo,infoseek,al tavista		eudora,netscape and pine		
IN50	The World Wide Web consists of	information	web pages	network connections	mails	В
IN51	In Microsoft Internet Explorer, the color of the text can be specified using attribute of the font tag.	BACKGROUND	COLOR	FCOLOR	FONTCOL OR	В
IN52	The interface that provides effective communication between the web browsers and servers is	Communication gateway interface	Common graphical Interface	Communication graphical interface	Common Gateway Interface	D
IN53	CGI is the between web browsers and servers	Network	Interface	Communication	Connection	В
		Current web	Browser	Client	None of the	В
IN54	CGI programs are invoked based on the information provided by the A CGI program is usually called after a request made by the	page	Server	Web	above	



IN56	URL stands for	Unknown resonance	Uniform resource	United relay	None of the	В
		language	locator	limited	above	
IN57	A hyperlink can be on	text only	image only	text or image	neither text nor image	С
IN58	HTML was derived from	SQL	PLSQL	SGML	CGI	С
IN59	SGML is a	alphalanguage	betalanguage	metalanguage	none of the above	С
IN6	PINE stands for	palm is not eatable	palm is not elm	pancake is not edible	none of the above	В
IN60	The application that confirms whether a document is compliant to its DTD is	SGML Processor	SGML Preprocessor	SGML Parser	SGML Composer	С
IN61	Web is a collection of	web sites	images	applets	documents	Α
IN62	IETF stands for	Internet	International	Internet	None of the	С
		equipment	Engineering trainers and	Engineering		
		training faculty	faculty	Task Force	above	
IN63	The two major browsers used to surf the Internet are	MS Internet	Netscape	MS Internet	None of the	С
		Explorer and	Navigator and	Explorer and Netscape		
		Mosaic	Mosaic	Navigator	above	
IN64	Special characters allow browsers to display	text	data from a database	symbols	video	С
IN65	The keyword for providing links within or across documents is	hyperlink	hypertext	hotword	hotlink	В
IN66	Stringing pages together using hypertext technology helps view pages	in random order	in sequential order	in user-defined order	none of the above	В
IN67	The initial web pages present in a web site is the page.	first	start	home	none of the above	С
IN68	The image format supported by most browsers is	.bmp and .gif	.bmp and .jpeg	.gif and .jpeg	.wmf and .bmp	С
IN69	The components of a URL are	Service, hostname and directory path	service,hostnam e,port,directory- path	service,port and directory path	service,hos tname and port	В
IN7	The mail we send has a mailing address and most of them	mail servers,mail		mailing lists,mail		С
	-	clients and	vendors,mail	server robots		
		alternate	identification and	and gateways to		
	correspond to, and	services	password	other services	above	



IN70	Which of the following is not supported by internet explorer	<center></center>		<hr size="n"/>	<l1 type=shape</l1 	D
INIZA	COLetenda for	oom munication		classified	> none of the	
IN71	CGI stands for	communication generated	common gateway	general	none or the	Ь
		information	interface	instructions	above	
IN72	Host name indicates the domain name of the web	Server	Client	Browser	User	Α
IN73	The internet is also called as	arpanet	the net	intranet	none of the above	В
IN74	The internet is similar to	LAN	peer-to-peer connectivity	wan	none of the above	В
IN75	The net drivers from one place to another	data	parcel	packets	none of the above	Α
IN76	The net provides interesting services like,	scripting,parsing	news,cooking	email,file retrived,internet	none of the	С
	and	and compiling	and fine arts	tools	above	
IN77	The windows internet software available	nt,windows95,ie,	mosaic,gopher,e	communicator,ie	all of the	В
	are, and	winzip	udora,trumpnet	,lynx,winsock	above	
IN78	is the ancestors of the internet	dnet	arpanet	ARPANET	none of the above	В
IN79	DARPA stands for	defensive	dedicated and	defensive	none of the	С
		administrative rank	registered	advanced research		
		administration	projects	projects administration		
		network	administration	net	above	
IN8	The uuencode files start with a	start	begin	first	none of the above	В
IN80	DARPA is broken into and	milnet,smaller arpanet	mailnet,inet	intranet,extranet	none of the above	Α
IN81	NSFNET is the united states provides service to	education,resear	music and dance	cooking and	none of the	Α
	and	ch		dining	above	
IN82	HTML stands for	Higher text manipulation	Hotlink text markup	Hyper transfer	Hyper text markup	D
		language	language	meta language	Language	
IN83	The first international IP network connections were	united states and	england,norway	united states &	none of the	В
IN84	established in 1973 with and A is a set of computers interconnected by transmission	UK server	client	Russia network	above none of the	$\overline{}$
11104		301 VCI	CHOIL	HELWOIK		C
	paths to exchange information in internet				above	



IN85	A computer that provides a service usable by other computers	client	stand-alone	servers	none of the	С
IN86	is called is the representation of physical connectivity of the	network card	network topology		none of the	В
	computers in internet			redirectors	above	
IN87	DTE stands for	detailed	data terminal	data target	none of the	В
		transaction				
		explanation	equipment	equipment	above	
IN88	The basic function of the is transmitting the bits over a channel	application layer	physical layer	network layer	none of the above	В
IN89	The point to point channel network is also called as	point to point	packet	smart network	none of the	В
		network and broadcast	switching,store and forward	and dumb		
	and	channel network	network	network	above	
IN9	Accessing files using FTP servers is called	file access	anonymous ftp	file transfer	none of the above	В
IN90	The three most commonly used networks are,and	PAN,NAN,AAN	KAN,RAN,VAN	LAN,WAN,MAN	none of the above	С
IN91	is in between LAN and WAN	VAN	MAN	TAN	none of t he above	В
IN92	can be owed by multiple organisation	LAN	MAN	WAN	none of the above	С
IN93	Data is transmitted in the form of signals	analog	digital	non-digital	none of the above	В
IN94	DTD stands for	Data type	Define type of	Document type	Document	С
		definition	data	definition	type data	
IN95	Modem stands for	Moralize/demoral	Modulation/demo	Manipulate/dem		В
		ize	dulation	anipulate	above	
IN96	is the process of the digital signals being converted	Mapping	Modulation	Manipulation	none of the	В
	into a form suitable for analog transmission			•	above	
IN97	and are two basic ways of getting connected	Satellite link and	Dedicated	Cable and wires	none of the	В
	to the internet	digital signals	access and dial up access		above	
IN98	SLIP stands for	Standard long	Stream line	Serial line	none of the	С
-		internet protocol			above	
IN99	PPP stands for	Prime prolonged		Pillar to pillar	none of the	В
		protocol	protocol	protocol	above	
PP1	In Powerpoint2000 ,the built-in professional design elements	clipart & auto	autolayouts and presentation	slide view &	none of the	В
	are	shapes	templates	outline view	above	
PP10	Selection handles are the 8 small that appear	circles	points	squares	icons	С
	around the object, when an object is selected		•	•		



PP11	The is an invisible matrix of vertical and horizontal	square	image	grid	guide	С
	lines that covers the entire slide workspace					
PP12	are drop-down menus that appear when the right mouse button is clicked on the screen element	tool bars	short cut menus	auto shapes	all the above	В
PP13	andhave the ability to add a lot of visual	clip gallery &	slide show &	fonts & images	none the	Α
	impact into the PowerPoint presentation	word art	view show	J	above	
PP14	is a motion picture or any animation file	wave file	media clip	.video file	all the above	В
PP15	The user can use to remove the undesirable part of the image	clipping tool	cropping tool	cutting tool	scribble drawing tool	Α
PP16	The power presentation has a for a set of compatible colors	color palette	color box	color scheme	color guide	С
PP17	The set three colors used for graphs and for secondary slide items is called as	ascent	tricolor scheme	color palette	primary color scheme	Α
PP18	There are types of charts available in PowerPoint	10	28	18	36	С
PP19	charts are useful while showing variations over a period of time	column	bar	pie	linear	Α
PP2	are the individual pages of a presentation	images	images and text	slides	slide sorter views	С
PP20	A PIE Chart is a diagram that depicts the relationship between a whole and its parts	circular	radar	doughnut	all the above	Α
PP21	Each individual piece of data in a series is called a/an	entity	data point	data	stream	В
PP22	PowerPoint launches an OLE-compatible application called	Microsoft organization chart	clip art	auto shapes	track changes	Α
PP23	When the user double-clicks on an organization chart object	the organization	the chart is made	the chart window		С
		chart is	available for	opens displaying		
	in PowerPoint	expanded	editing	a chart template	above	
PP24	The are used for selecting, editing and viewing objects	box tools	general purpose	custom drawing	standard drawing	С
	in the chart			tools	tools	
PP25	Manager box tool in organizational chart window is	used to mange	accessed only by	used to create a	used to store the	С
		organizational		manager box for	other tools of the organizatio	
		chart	manager	an existing box	nal chart	



PP26	The custom drawing tools are by default	turned on	turned off	not available in	available in	В
				the tool bar	the tool bar	
PP27	Click on the box tool to draw three boxes	once	twice	thrice	any of the above	С
PP28	There are default fields available in all boxes of the organizational chart	two	four	five	eight	В
PP29	The tool is used in the same way as we use a pen to draw a table	native tool	draw tool	standard tool	all the above	В
PP3	A/An consists of smaller printed version of the slides	autolayouts	handlayouts	slide view	none of these	В
PP30	The size of the object can be changed using the tool	zoom	reduce/enlarge	preview	none of the above	В
PP31	is the process through which the slides in the current presentation are included in another presentation or application	importing	exporting	copying	moving	В
PP32	can be used to create charts as well as worksheets	Microsoft excel	auto shapes	clip art	drawing tools	Α
PP33	PowerPoint can import text files that have been saved in	.ppt(PowerPoint)	.rtf(rich text	.doc(document)	.html(hypert	В
PP34	format PowerPoint outlines can have outline levels	nine	format) only one	six	ext format) twelve	С
PP35		.rtf(rich text	.wmf(windows	.txt(plain text)	.doc(docum	
FF33	When a file is saved with extension, the graphics and text are also saved along with the slide	format)	metafile)	. ,	ent)	
PP36	The hidden slide is	not displayed during the slide	displayed only during the slide	displayed only in		Α
PP37	effect is used to introduce a slide during a slide show	show DTS(digital track sound)	3D(3 dimension)	both a and b	above transition	D
PP38	A is a special effect that determines how the objects appear on the slide	build	transition	slide show	view show	Α
PP39	The notes page is formatted based on the	notes master	slide master	master slide	master notes	Α
PP4	Pick the odd man out of the following	outline view	slide view	view show	slide sorter view	С
PP40	When a new presentation is opened ,powerpoint creates slides that have a width of and a height of with	15 inches,10	10 inches,7.5	7.5 inches,5	none the	В
PP41	the landscape orientation The default orientation for notes ,handouts and outlines is	inches portrait	inches landscape	a or b	none of the	Α
	orientation				above	
PP42	Build effect is also called as	animation	view show	transition	b or c	Α



PP43	Graphics for web pages are automatically stored in format	gif	jpeg	png	none of the above	D
PP44	A is used to jump to any slide in the presentation	hyperlink	hypertext	action button	all the above	D
PP45	The language has been incorporated into PowerPoint	visual c++	visual basic for application	Microsoft visual interdev	all the above	В
PP46	In PowerPoint is a series of commands that are executed in sequence	macro	batch file	templates	add-ins	Α
PP47	The macro will be activated	while creating a .exe file	during slide transition	when the slide show is run	none of the above	С
PP48	Developers can easily add to PowerPoint 2000 by using the programming interface	virus checkers	spell checkers	header files	all the above	Α
PP49	determines the order in which order in which the slides will be displayed during the show	slide show	custom show	both a and b	none of the above	В
PP5	is used to organize and develop the contents of a presentation	slide pane	notes pane	properties pane	outline pane	D
PP50	If we save the presentation file as a metafile, it can be opened using	internet explorer	paint shop pro	paint shop pro	power point 2000	D
PP51	With reference to autocontent wizard for creating a new	PowerPoint	it is the quickest	contains sample	provides	D
		creates a sample presentation to	way to create a	presentations for	suggested	
		which user can add words and	•	a variety of	content and	
	presentation, which of the following statements are not true	pictures	presentation	topics	design	
PP52	Which of the following statement is not TRUE	user can insert	user can insert	user can insert picture to the	user can insert	В
		objects like clip- arts, pictures	only pre-drawn,	master slide	picture to the title slide which	
		stored in a	graphic images	which gets	gets reflected in	
		separate files to	reflected in a clip	reflected in all	all the	ı
		the slides		the slides using that master slide	that title	



PP53	With reference to changing the order of slides, which of the	in outline view,	in slide sorter	in notes pages	I slide view,	С
		drag the slide	view, drag the	view, drag the	drag the slide icon	
		icon to a new	slide to a new	slide icon to a	to a new	
	following statement is not true	location	location	new location	location	
PP54	Which of the following definitions are not true	the slide that	transition means	design templates	the slide	О
		holds the			that holds	
		formatted	applying special	is the template	the	
		placeholders for	opposition of the comme		formatted	
		the titles, main	offects to the	whose format	placeholder	
		text and any	effects to the		s for the	
		background		and color	title and	
		items that user	crossover		sub-title for	
		wants to appear		scheme user	the	
		on the slides is	between the		presentatio	
		called a master	• • • • • • • • • • • • • • • • • • • •	n is called		
			olidos	procentation	a title	
PP55	Which of the following statements are not true	templates with notes pages	slides in outline view,	presentation user should	template the slides	В
1 1 33	Which of the following statements are not true	with hotes pages	user can see the	user snould	trie slides	ם
		view user can	miniatures of all	select the slide	can be	
		proporo epockor	slides in a	Select the slide	reordered	
		prepare speaker		viou to add the	reordered	
		notes and	presentation, complete with	view to add the	in the	
		handouts	text and graphics		outline view	
PP56	Which of the following definitions are not true	the slide that	transition means	design template	the slide	D
		holds the			that holds	
		formatted	applying special	is the template	the	
		placeholders for			formatted	
		the titles, main	effects to the	whose format	placeholder	
		text and any		and color	s for the	
		background		and color	title and subtitle for	
		items that user	crossover	scheme user	the	
		wants to appear		Solicine user	presentatio	
		on the slides is	between the	applies to a	n is called	
		called a master		applies to a	applied to a	a title
		template	slides	presentation	template	
		tompiato	0.1400	p. occintation	Simplato	



PP57	The options available in the common task toolbar does not include	slide layout	customize	new slide	set up show	В
PP58	With reference to chart, which of the following statements are	data to be	by default,	data is plotted in	user can	В
		graphed resides	doughnut chart is displayed based		add data labels and	
		in a datasheet	on the data in the		gridlines to	
	not true	window	datasheet	a chart window	the chart	
PP6	The format of the text entered in a title, subtitle, or bulleted- list object is determined by the format settings in a special	the master slide	the slide master	the header slide	the format	В
DD7	Slide called	office equiptent	anall abaakar	grommor	slide	
PP7	PowerPoint provides a that searches the entire presentation i.e., all the text objects in all the slides, outlines,	office assistant	spell checker	grammar	none of the	В
DDo	notes and handouts for spelling errors	10	- 10	checker	above	
PP8	PowerPoint's drawing toolbar contains drawing tools	10	12	102	22	В
PP9	Click on the rectangle drawing tools enables us to draw multiple rectangles	once	twice	three	four times	В
VB1	Microsoft visual basic project file has file extension.	.vbg	.vbp	.frm	.frx	В
VB10	In visual basic, method is used to add an item in a combobox	add	additem	loaditem	none of the above	В
VB11	In visual basic, method is used to load picture during runtime in an image control	load	loadpicture	addpicture	none of the above	В
VB12	In visual basic, to populate a drive list box with a directory list			File1.Path =	none of the	В
1/5/0	box statement is used	1.Path	Drive1.Drive	Dir1.Path	above	
VB13	In visual basic, to display a message in the run time function is used	messagebox()	message()	msgbox()	none of the above	C
VB14	In visual basic, to populate a directory list box with a file list	Dir1.Path=File1.	Dir1.Path =	File1.Path =	File1.patter	С
	box statement is used	Path	Drive1.Drive	Dir1.Path	n=Dir1.path	ı
VB15	In visual basic, is a property of a recordset object	openrecordset	opendatabase	recordcount	count	С
	which counts the number of rows in a recordsourse object	_	_			
VB16	In visual basic, using a data control, a record can only be added from the last record. Adding a new record is only possible using method of a recordset object.	update	append	addnew	additem	С
VB17	In visual basic, using a data control, a record is saved to a recordsource object using method of a recordset object.	append	update	additem	addnew	В



VB18	In visual basic, using a data control, to navigate to the	movenext	movelast	moveprevious	movefirst	С
	previous record method of a recordset object is					
VB19	used.	and folian	moveleet two	mayalaat falaa	oof twice	D
У БІЭ	In visual basic, when a record pointer reaches to the last	eof,false	movelast,true	movelast,false	eof,true	ט
	record, property of a recordset object is					
VDO	automatically set to	nunnautiaa	form love ut	toolbox	project	D
VB2	In visual basic, the explorer view of a project is displayed in	properties	form layout	LOOIDOX	project	ט
VP20	In visual basic, when a record pointer reaches to the first	window bof,false	window movefirst,true	movefirst,false	explorer bof,true	D
VB20	•	boi,iaise	movemst,true	movemst, iaise	boi,iiue	ט
	record, property of a recordset object is					
VD24	automatically set to	value ()	int/\	numbor()	vol()	D
VB21	In visual basic, is a method to convert a string into	value()	int()	number()	val()	ט
VB22	integer. In visual basic, in a shape control, a vb statement gives	circle	rootonalo	aguero	ovel	D
VBZZ	· · · · · · · · · · · · · · · · · · ·	circie	rectangle	square	oval	ט
\/D00	Shape1.Shape = 2. What type of shape should we get?	Am. a	folos			٨
VB23	In visual basic, a timer event is only available in timer control.	true	false			Α
VB24	In visual basic, vbred or vbgreen or vbblue are the property	true	false			Α
	values of a backcolor of any object					
VB25	In visual basic, is a property of a textbox control to	fontcolor	color	forecolor	none of the	С
	set a color of a text.				above	
VB26	In visual basic, property of a textbox control is set to	underline,true	fontunderline,tru	textunderline,tru	none of the	В
	to underline a text		е	е	above	
VB27	In visual basic, property of a textbox control is used	textsize	size	foresize	fontsize	D
	to change the size of text.					
VB28	In visual basic, the interval property of a timer control is given	one- millionth of	one-hundredth of	one-thousandth	one-ten	С
					thousandth	
	in	a second	a second	of a second	of a second	
VB29	In visual basic, property of listbox control counts the	count	recordcount	itemcount	listcount	D
	number of items in the list					
VB3	In visual basic, the properties of various controls can be set	form layout	prperties window	project explorer	toolbox	В
	using	window	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	,		
VB30	In visual basic, vbinformation, vbcritical, vbexclaimation are	title	prompt	vbmsgboxstyle	none of the	С
	the values of in a messagebox function.	-	E STORY		above	-
VB31	In visual basic, is a function which displays a	msgbox()	textbox	label	inputbox()	D
	message and it also allows the user to enter values in a form	g()				_
	object					



VB32	In visual basic, using a data control, is a recordset	opendynaset	opensnapshot	dbopensnapshot	dbopendyn	D
	type which allows to add a new record and also to update					
	existing record in a recordsourse object				aset	
VB33	In visual basic, while closing a form event of a form	load	activate	unload	initialze	С
	object is triggered earlier to terminate event.					
VB34	In visual basic, to give a backcolor or to bring in a picture to a	standard	opaque	transparent	graphical	D
	command button can only be done if we set the style property					
	to					
VB35	In visual basic, a method RGB(255,0,0) will generate	blue	red	green	black	В
	color					
VB36	In visual basic, a method RGB(255,255,255) will generate	red	green	blue	white	D
	color		-			
VB37	In visual basic, if a user uses a shortcut key ctrl+R	properties	form layout	toolbox	project	D
	1				explorer	
\ /D00	becomes visible.	window	window	. "	window	Α
VB38	In visual basic, if a user uses a function key F4	properties	form layout	toolbox	project	Α
	becomes visible.	window	window		explorer	
VB39	In visual basic, when a textbox control receives the focus	change	lostfocus	text	window gotfocus	D
V D39	event is triggered.	Change	iostrocus	IEXI	gottocus	D
VB4	In visual basic, a form is a object.	child	parent	container	none of the	С
		Orma	parone	Containor	above	
VB40	Microsoft visual basic is a Rapid Application Development	true	false			Α
	tool.					
VB5	In visual basic, when a form object appears on the screen	load	unload	initialize	activate	D
	event is triggered.					
VB6	In visual basic, to display text on a label object	text	name	caption	none of the	С
	property is used				above	
VB7	In visual basic, object is used to access the database	opendatabase	dbengine	openrecordset	none of the	В
	and also to manage the data in the database.				above	
VB8	In visual basic, when a checkbox control is checked	enabled	visible	value	style	С
	property is automatically assigned with 1.					
VB9	In visual basic, keyword is used to declare a variable	dime	dim	var	none of the	В
					above	
WO1	is a word processing that is a member of the office	Word 2000	Office 2000	Office 97	Back Office	Α
	2000 family					
WO10	The feature that enables user to type anywhere in a document	click-n-type	double click	drag & drop	none of the	Α
	without pressing or tab				above	
WO11	The feature allows the user to copy and paste upto 12	office clipboard	cut	select	none of the	Α
	items at the same time in an application				above	
						_



14/040		1.26	1.20 1.6		7.0	_
WO12	and key combination will extend the selection	shift+end and	shift+left and	ctr+end and	none of the	В
	by one character on the left and right	shift+home	shift+right	ctr+home	above	
WO13	and are improved layout in Word 2000	web layout,	normal layout,	web layout, page		Α
		printlayout	web layout	layout	above	
WO14	The easiest way to create a document in word is	wizard	templates	click from start	none of the	Α
				program,		
				MSWord from		
14/0/45				the task menu	above	
WO15	In Office2000 environment the tool that makes work easier for	office assistant	inbox assistant	document	none of the	А
	us is			assistant	above	
WO16	A short description of a tool bar button called the is	Screen Tip	Tool Tip	Icon Tip	Document	Α
	displayed when the mouse pointer is allowed to stay for a					
	second on the button				Tip	
WO17	The helps us to keep track of the margin of the page	tab stop	marginal stop	ruler	none of the	В
					above	
WO18	The keys that are used to navigate between headers and	up arrow keys	page up keys	home and end	up and	D
	footers are	only	only	keys only	down arrow	
WO19	Pick out the element from the following that dose not form the	left	center	decimal	rotation	D
	type of tabs for the Word 2000					
WO2	are blueprints or patterns for documents of a certain	template	model	dialogs/alerts	none of the	В
	type				above	
WO20	The is used for quickly setting paragraph indention	increase indent	decrease indent	both A and B	none of the	С
	using the mouse				above	
WO21	Word art is text with	special effect	control tool box	design wizard	pictures	Α
WO22	AutoShapes in word can be created by accessing the	drawing toolbar	control box	database	forms	Α
WO23	By default, a document consists of section	1	2	0	11	Α
WO24	The dialog box that is used to determine the documents	page setup from	printer setup	print preview	none of	Α
			from the file			
	margins is	the file	menu	from the file	the above	
WO25	is a box surrounding a page on all slides or a line	border	shading	style box	none of the	Α
	that sets off a paragraph on one or more slides				above	
WO26	The key that is used to perform a task to select all t he text in	ctrl+a	Del	ctrl+f	ctrl+m	Α
	the documents is					
WO27	The key that is used to indent a paragraph is	ctrl+a	Del	ctrl+f	ctrl+m	D
WO28	The key that is used to change the font from the current	CTRL+SHIFT+F	CTRL+O	CTRL+SHIFT+S	CTRL+SHI	Α
	positioned in a document is				FT+P	
WO29	The key that is used to change the style of the document that	ctrl+shift+f	ctrl+o	ctrl+shift+s	ctrl+shift+p	С
_	is from that normal to heading1 or heading1 to other	-				
	document styles.					
0						



WO3	is the default view in Word used for typing Editing and	NORMAL	ONLINE	PAGELAYOUT	ONLINE	Α
	Formatting the Text		LAYOUT		DOCUMEN T	
WO30	The short-cut-key that is used to indent a paragraph spacing in the documents is	ctrl+m	ctrl+2	ctrl+end	ctrl+home	В
WO31	The short-cut-key that is used to paste the selected text	ctrl+v or ins	ctrl+c or ins	ctrl+x or ins	ctrl+v or Del	Α
WO32	The short-cut-key that is used for paragraph spacing(1.5)	ctrl+2	ctrl+5	ctrl+1	none of the above	В
WO33	The box that separate text from the document and allows it to behave like an independent object is known as	Text Box	Frame	AutoShape	Border	Α
WO34	The object that is used to provide information like the title of the book, name of the chapter, page number etc.	Header and Footer	Screen Tips	Page Layout	none of the above	Α
WO35	The object that helps us analyzing data statistically is known as	Chart	WordArt	Auto Shapes	File	Α
WO36	To highlight certain parts of a page to set it apart from the rest of the page we make use of the following features	Borders	Shading	WordArt	Bullets	D
WO37	To clear all the tabs in a document the option that is clicked from the tabs dialog	clear	remove all	remove	clear all	D
WO38	The dialog box that is used to incorporate picture bullets into our documents or web pages is	picture bullets dialog box	arrow bullet dialog box	circle bullet dialog box	none dialog	Α
WO39	The object that composes of set of tools which helps to create and work on different shapes like rectangles, circles, flowcharts etc.	charts	WordArt	AutoShapes	files	С
WO4	When word is opened a new document called is displayed, where the user starts typing the content right way	doc1	document1	new document	default document	В
WO40	is an online dictionary maintained by word to obtain synonyms for words	thesaurus	hyphenation	mail merge	none of t	Α
WO41	The thesaurus is invoked by pressing	shift+f7	thesaurus menu	shift+f8	tools+spelli ng menu	Α
WO42	When a new table is created the insertion point flashes in the	first	second	first row	last cell of the t able	Α
WO43	By pressing the key inserts a blank row after the last row in the table	tab	end	enter	none of the above	Α
WO44		convert text to table	convert data to table	table auto format option		Α
WO45	A table consists of that contain text or graphics	row	rows & columns	records	none of the above	В



WO46	The option in word allows the user to automatically	AutoCorrect	AutoFormat	style gallery	none of the	Α
	correct misspell words as and when they are typed				above	
WO47	is a facility that enables recording and replaying of a sequence of keystroke	Mail Merging	Macro	Data Source	none of the above	В
WO48	In Word Macros are written in	basic	visual basic	vj++	visual FoxPro	В
WO49	In Word 2000 the macro dialog box is activated with the help of key combination	shift+f8	shift+f7	alt+f8	alt+f5	Α
WO5	shows how a document would look like when published on the web or on an intranet	web layout view	online layout view	browser	none of the above	Α
WO50	is a software for sending and receiving e-mail messages	email client	outlook express	micro soft outlook	hotmail	Α
WO51	is the coding system used to create web pages	html	xml	sgml	vb script	Α
WO52		internet	intranet	arpanet	LAN	Α
WO53	Which of the following statements are false with reference to	field name must	the field	field names in	the number	В
		be listed in the	separators in a	the header	of fields names in	
		same order as	header source	source must	the header source	
		the	and the data	match any merge fields	must be the	
		corresponding	source can not	you've inserted	same as the number	
		information in the	be set as	in the main	of data fields in the	
	the use of a header row source for a mail merge	data source	paragraph	document	data source	
WO54	With reference TO TABLE WHICH OF THE FOLLOWING	it is not possible	auto format	by default cell	delete cells option	С
		to change the	option applies to	height and	allows to	
			the entire table	weight option	delete the	
		height of only	and not only to	applies to all the	entire row or a column	
			the selected	rows and	or shift	
		selected rows of	rows or columns	columns of a	cells up or shifts cells	
	STATEMENT ARE false	a table	of a table	table	left	
WO55	The alignment available for tabs does not include	left	decimal	justified	top	Α



WO56	Which of the following statements related to a Section Break	A new section is	In order to type a	If a header is	A section is	D
		created in order	header from the	inserted in the	a portion of a document	
		to change	third page of the	second section	in which	
		properties like	document a	then the same	certain page	
		number of	section break is inserted after t	header is applicable to the	formatting	
	are True	columns	he third page	first section	option can be set	
WO57	The user can set a spelling checker to skip the marked part of the next		false	IIIST SECTION	De Set	Α
WO58	New option under the file menu of word creates a new blank	true	false			Α
	document that is based on the normal templates					
WO59	The user can split the screen only into two parts	true	false			Α
WO6	The features that enables the user to type text graphics tables	drag & drop	click -n-type	Double Click	none of the	В
	anywhere in the document without pressing enter or tab				above	
WO60	The user can modify the picture from the clip art	true	false			Α
WO61	With reference to auto correct which of the following	automatically	prohibits the user	automatically	with t he caps lock key accidentally	В
		corrects common	from renaming	corrects the	turned on reverses the case of the letters that were	
		typing, spelling	an auto correct	grammatically	capitalized incorrectly and then turns off the caps	
	statements are false	errors	entry	errors	lock	
WO62	With the reference to password protected documents which	password can	password	password are	password	В
			protected		can be upto	
		not include	document can be opened without	not case	15	
			possiverd se		characters	
			password as			



WO63	The alignment available for tabs does not include	left	justified	hanging	top	Α
WO64	Which of the following statements are False	a .ppt file can not	a document file	a multiple	an .xls data	В
		not be inserted at	can be inserted	documents files	can not be inserted at	
		specified position	in the current	can be inserted	specified	
		in the current	document at	in the single	position in the current	
		document	specified position	document	document	
WO65	Drop Cap tool does not work for the contents in the table format	true	false			Α
WO66	The user can split the screen only into two parts in MS-Word	true	false			Α
WO67	The special symbols that are inserted using "insert symbol" option of the word can not be printed by the printer as they are not standard keyboard symbols	true	false			В
WO68	The "format columns" option allows to create columnar text up 12 columns only.	true	false			Α
WO7	The document that makes the user to organize and maintain a long document, such as multipart report or a book consisting		Child Document		none of the	Α
WO8	of chapters	Document Drint Leveut View	Dogo Lovovit	Document Outline Leveut	above none of the	D
WU8	The view that enables us to view how objects will be	Print Layout View	Page Layout	Outline Layout		В
WO9	The mode that is initialized or toggled to if the user is in a position to overwrite the text in the word	Insert Mode	Type Over mode	Remove	none of the above	Α
BC1	ISDN stands for	Integrated	Integrated	Integrated	None of the	С
		system dynamic	Symbolic Digital	Services Digital		
		networks.	networks.	network.	above.	
BC2	is the Worlds largest computer network .	Ethernet	Internet	ARPANET	None of the above.	В
BC3	is/are a popular front end tool	visual basic	power builder	SQL * plus	all of the above	D
BC4	When LAN connected together ,it is called	MAN	WAN	GAN	None of the above.	В
BC5	TCP/IP stands for	Transfer control	Transfer	Transmission	None of the	С
		protocol/Internet	communication protocol/Internet	control protocol/Internet		
D.0.0		protocol	protocol	protocol	above.	
BC6	Data is broken into small unit called	Cells	Bits	Packets	None of the above.	C



BC7	OMED at and a face	Custom	Caffeerana Mail	Circula Mail	None of the	_
BC/	SMTP stands for	System	Software Mail	Simple Mail	None of the	C
		modulation	transmission		a la la casa	
D 00		transfer protocol	protocol	transfer protocol	above.	_
BC8	The protocol is a network protocol to be built for	Transfer Protocol		Hyper text	None of the	C
	the World Wide Web .		protocol		above.	
BC9	ATM stands for	Aggregate	Asynchronous	Area transfer	None of the	В
		transfer mode	transfer mode	mode	above.	
BC10	The computer which can receive data from other computers	File server	Printer server	Receiver	None of the	В
	on the network and print it is				above.	
BC11	The hardware and the software requirements together form the	platform	configuration	package	system	Α
BC12	ATM, Asynchronous transfer mode is a	MAN and WAN	LAN and WAN	LAN and MAN	LAN WAN	В
	technology.				and MAN	
BC13	is designed telephone system	ISDN	ATM	Internet	Intranet	Α
BC14	Expansion of ISDN is	Internal Services	Internal Services	Integrated	None of the	С
				Services Digital		
		Digital Network	Design Network	Network	above.	
BC15	Expansion of WBT is	Web based	Web based	Web based	Web based	Α
		Training	Technology	Transport	Transaction	
BC16	connects LANs.	Bridges	Routers	Protocol	Repeaters	
BC17	Collection of instruction is called a	procedure	batch	command	program	D
BC18						
2010	Combination of alphabetic and numeric data is called data	alpha numeric	alpha beta	numerous alpha	number and alpha	Α
BC19	<u>.</u>	space occupied,	cost,	numerous alpha size,		A C
	data		•	·	and alpha	С
BC19	data	space occupied,	cost,	size,	and alpha input, output,	С
	data	space occupied, price, no. of users allowed	cost, performance	size, performance, cost	and alpha input, output, performanc	С
BC19	data Computers can be classified based on,and	space occupied, price, no. of users allowed	cost, performance their ratio	size, performance, cost	and alpha input, output, performanc e ratios mainframe	С
BC19	Computers can be classified based on,and are used in large organizations for large scale jobs	space occupied, price, no. of users allowed mini computers	cost, performance their ratio microprocessors	size, performance, cost PCs	and alpha input, output, performanc e ratios mainframe s	C D
BC19 BC20 BC21	Computers can be classified based on,and are used in large organizations for large scale jobs is responsible for feeding data into the computer	space occupied, price, no. of users allowed mini computers input	cost, performance their ratio microprocessors output	size, performance, cost PCs feed	and alpha input, output, performanc e ratios mainframe s write	C D
BC20 BC21 BC22	Computers can be classified based on,and are used in large organizations for large scale jobs is responsible for feeding data into the computer is the capability of the o/s to run numerous	space occupied, price, no. of users allowed mini computers input	cost, performance their ratio microprocessors output	size, performance, cost PCs feed	and alpha input, output, performanc e ratios mainframe s write	C D
BC19 BC20 BC21	Computers can be classified based on,and are used in large organizations for large scale jobs is responsible for feeding data into the computer is the capability of the o/s to run numerous applications simultaneously involves conversion of raw data into some	space occupied, price, no. of users allowed mini computers input multiprocessing	cost, performance their ratio microprocessors output multithreading	size, performance, cost PCs feed multiplexing	and alpha input, output, performanc e ratios mainframe s write multitaskin g	C D A D
BC20 BC21 BC22	Computers can be classified based on, and are used in large organizations for large scale jobs is responsible for feeding data into the computer is the capability of the o/s to run numerous applications simultaneously	space occupied, price, no. of users allowed mini computers input multiprocessing interpreter	cost, performance their ratio microprocessors output multithreading	size, performance, cost PCs feed multiplexing	and alpha input, output, performanc e ratios mainframe s write multitaskin g	C D A D



BC25	printers use light to produce the dots needed to form	impact printers	drum printers	non-impact	thermal	С
	pages of characters			desktop printers	printers	
BC26	Hardware components in a computer are	operating	control program,	monitor,	CPU,	D
		system,	interpreter,		memory,	
		bootstrap, kernel,	•	program,	input,	
		shell	compiler	keyboard, bus	output	
BC27	,,software are programs that are complex and can be	operating system		windows 95	interpreter	R
BOZI	developed or purchased	operating system	software	Williad Wood	interpreter	
BC28	is a set of special instructions used to communicate	batch	protocols	software's	procedures	С
	effectively with the computer		p		p	
BC29	converts a high level language into machine	processor	compiler	assembler	coder	В
	language					
BC30	translates assembly language program into machine	compiler	interpreter	assembler	processor	С
	language instructions					
BC31	software enables users to send and receive data	application	system	operating system	communica	D
	to/from remote computers				tion	
BC32	A is a running instance of an application	project	model	pilot project	process	D
BC33	Splitting of CPU's time for different tasks prevents	multiprocessing	multithreading	multiplexing	multitaskin	D
D004	time slicing		 		g	^
BC34	computers are used in large organizations for large	mainframes	super computers	micro computers		А
BC35	scale jobs which have large storage capacities is responsible for all calculations and logical	control unit	arithmetic and	central	above none of the	D
БСЗЗ	operations that have to be performed on the data	CONTROL UTIL				Ь
BC36	printer use laser light	band printer	logic unit drum printer	non impact	none of the	
DC30	printer use laser right	band printer	drain printer	printer	above	O
BC37	software enhances the user to enter ,store, manipulate	data	word processing	electronic	none of the	В
	and print any text	management		spreadsheet	above	
BC38	software enables users to send and receive data	integrated	communication	idea processor	none of the	В
	to/from remote computers	software	software		above	
BC39	is the temporary storage place for deleted files	my computer	recycle bin	Microsoft exchange	none of the above	В
BC40	is a collection of related fields	field	file	record	none of the above	С
BC41	language consists of strings of binary numbers	assembly	machine	high level	none of the	В
BC42	cymbol is used to represent presence like seeinging	language terminator	language	language connector	above input/output	D
DC42	symbol is used to represent processes like assigning		processed		input/output	D
BC43	a value to a variable or adding a number is an example for micro computer	symbol PC-at	symbol hp vectra system	symbol fazitsu vn200	symbol IBM-PC	В
D043	is an example for inicio computer	ι Ο-αι	TIP VECTIA SYSTEM	series	ין-ואוטוי (ט
				Selles		



different tasks Cond Computing	BC44	capability supports concurrent users doing	multiprocessing	multithreading	multiplexing	none of the	D
has only a screen, keyboard and the necessary hardware to communicate with the host. For this reason, the terminals are referred as servers BC46		· · · · · · · · · · · · · · · · · · ·		g			
communicate with the host. For this reason, the terminals are referred as	BC45	The do not have processing power of their own and	"dumb terminals"	dumb servers	dummy terminals	dummy	Α
referred as Computing Server Ser		has only a screen, keyboard and the necessary hardware to					
BC46 Ais nothing but a PC with a network operating system BC47system is responsible for handling the screen and user VO processing		communicate with the host. For this reason, the terminals are					
BC47system is responsible for handling the screen and user host server back end front end D BC48 Thehandles data processing and disk access in a client/Server architecture BC49 Both the DBMS and the application resides on the same PC LAN distributed centralized A computing BC50 When all the processing is done by the mainframe itself, the server host processing dumb processing data B type of processing is sometimes called as processing file management hierarchical network relational D database system database system database system database system database system multiprocessing multithreading multiplexing none of the B database is called defragmentation mirroring BC50 Modem stands for Code/De-code Modulation/Dem Module/De None of the B database is called defragmentation multiplexing none of the B database is called defragmentation multiplexing none of the B database is called defragmentation multiplexing none of the B database is called defragmentation multiplexing none of the B database is called defragmentation multiplexing none of the B database is called defragmentation multiplexing none of the B database is called defragmentation multiplexing none of the B database is called defragmentation multiplexing none of the B database is called defragmentation multiplexing none of the B database is called defragmentation multiplexing none of the B database is called defragmentation multiplexing none of the B database is called defragmentation multiplexing none of the B database is called defragmentation multiplexing none of the B database is called defragmentation multiplexing none of the B database is called defragmentation multiplexing none of the B database is called defragmentation multiplexing none of the B database is called defragmentation m		referred as				servers	
BC47 system is responsible for handling the screen and user 1/0 processing BC48 The handles data processing and disk access in a Client/Server architecture BC49 BC49 BC50 When all the processing is done by the mainframe itself, the server host processing dumb processing data B type of processing is sometimes called as processing four one two many A BC51 DBMS models can be grouped under categories four one two many A BC52 is the most advantageous database system file management hierarchical network relational D database system willtiprocessing multithreading multiplexing none of the B BC53 A new user initiates a new process of execution at the background, while the user can continue his query process as usual in the foreground. This situation is referred to as susual in the foreground. This situation is referred to as database is called by the DBMS through BC54 Modem stands for Code/De-code Modulation/Dem Module/De None of the B BC55 Modem stands for multitask within itself multiprocessing multithreading multiplexing none of the B BC56 Multiple changes to the same record or a field are prevented by the DBMS through BC57 allows an application to multitask within itself multiprocessing multithreading multiplexing none of the B BC58 New process of execution is referred to as linear area local area Local array of None of the B BC59 New process of execution is referred to as labove task process thread client C	BC46	Ais nothing but a PC with a network operating system	wan	distributed	windows NT	LAN	D
System is responsible for handling the screen and user Nost Server back end Front end D							
BC48 The				system			
The	BC47		host	server	back end	front end	D
Client/Server architecture BC49 Both the DBMS and the application resides on the same PC LAN distributed centralized A component in a system system component in a system server host processing dumb processing data B BE50 When all the processing is done by the mainframe itself, the server host processing dumb processing data B BE51 DBMS models can be grouped under categories four one two many A database database system database system database system database system database system database system multiprocessing multithreading multiplexing none of the B BE53 A new user initiates a new process of execution at the multiprocessing multithreading multiplexing none of the B BE54 The process of data being automatically written to a duplicate repairing redo logging disk disk D database is called defragmentation mirroring module above BE55 Modem stands for Code/De-code Modulation/Dem odulation module above BE56 Multiple changes to the same record or a field are prevented by the DBMS through BE57 allows an application to multitask within itself multiprocessing multithreading multiplexing none of the B above BE58 LAN stands for Linear area Local area Local array of None of the B above BE59 New process of execution is referred to as Linear area Local area Local array of None of the B above BE59 New process of execution is referred to as Lask process thread client- C							
BC59 Both the DBMS and the application resides on the same component in a system system both processing is done by the mainframe itself, the server both processing dumb processing data bumb processi	BC48	· · · · · · · · · · · · · · · · · · ·	host	server	back end	front end	С
Component in a System System Server System Sy							
type of processing is sometimes called as processing BC51 DBMS models can be grouped under categories four one two many A BC52 is the most advantageous database system file management hierarchical network relational database system database system multiprocessing multithreading multiplexing none of the B BC53 A new user initiates a new process of execution at the background, while the user can continue his query process as usual in the foreground. This situation is referred to as above BC54 The process of data being automatically written to a duplicate repairing redo logging disk disk D database is called defragmentation mirroring BC55 Modem stands for Code/De-code Modulation/Dem odulation module above BC56 Multiple changes to the same record or a field are prevented by the DBMS through BC57 allows an application to multitask within itself multiprocessing multithreading multiplexing none of the B above BC58 LAN stands for Local area Local area Local array of None of the B networks networks networks above BC59 New process of execution is referred to as task process thread client- C	BC49	Both the DBMS and the application resides on the same	PC	LAN	distributed	centralized	Α
type of processing is sometimes called as processing processing bBC51 DBMS models can be grouped under categories four one two many A BC52 is the most advantageous database system file management hierarchical network relational database system database system database system system database system system multiprocessing multithreading multiplexing none of the B background, while the user can continue his query process as usual in the foreground. This situation is referred to as susual in the foreground. This situation is referred to as susual in the foreground. This situation is referred to a susual in the foreground at a bove database is called defragmentation mirroring susual stands for Susual stands Su					computing		
BC51 DBMS models can be grouped under categories four one two many A BC52 is the most advantageous database system file management hierarchical network relational database system database system database system database system multiprocessing multithreading multiplexing none of the B background, while the user can continue his query process as usual in the foreground. This situation is referred to as usual in the foreground. This situation is referred to as database is called database is called defragmentation mirroring module database is called defragmentation mirroring module database is called fixes locks constraints traps B BC55 Multiple changes to the same record or a field are prevented by the DBMS through BC56 allows an application to multitask within itself multiprocessing multithreading multiplexing none of the B above linear area Local area Local array of None of the B above linear area Local area Local array of None of the B above linear area Local area networks networks networks above linear client C	BC50	When all the processing is done by the mainframe itself, the	server	host processing	dumb processing	data	В
BC51 DBMS models can be grouped under categories four one two many A BC52 is the most advantageous database system BC53 Is the most advantageous database system BC54 A new user initiates a new process of execution at the background, while the user can continue his query process as usual in the foreground. This situation is referred to as usual in the foreground. This situation is referred to as database is called repairing redo logging disk disk D BC55 Modem stands for Code/De-code Modulation/Dem Module/De-None of the B with the DBMS through strong fixes locks constraints traps B by the DBMS through multipass an application to multitask within itself multiprocessing multithreading multiplexing none of the B above linear area Local array of None of the B above linear area Local array of None of the B networks networks networks networks above linear client C coder linear client coder linear coder linear client coder linear client code linear client coder linear client coder linear client code linear client coder linear client coder linear client code linear client coder linear client coder linear client code linear client coder linear client code linear client code linear client coder linear client code linear client clien							
Second Process of Second Pro			processing			processing	
BC53 A new user initiates a new process of execution at the background, while the user can continue his query process as usual in the foreground. This situation is referred to as							
System database system database system system BC53 A new user initiates a new process of execution at the background, while the user can continue his query process as usual in the foreground. This situation is referred to as redo logging disk disk D BC54 The process of data being automatically written to a duplicate repairing redo logging disk disk D database is called Code/De-code Modulation/Dem odulation module above BC55 Modem stands for Code/De-code Modulation module above BC56 Multiple changes to the same record or a field are prevented by the DBMS through In the processing multiprocessing mu	BC52	is the most advantageous database system	file management	hierarchical	network		D
BC53 A new user initiates a new process of execution at the background, while the user can continue his query process as usual in the foreground. This situation is referred to as redo logging disk disk D database is called BC54 The process of data being automatically written to a duplicate repairing redo logging disk disk D defragmentation mirroring defragmentation mirroring Module/Depodulation module above dulation module above by the DBMS through BC55 Multiple changes to the same record or a field are prevented by the DBMS through BC56 Multiple changes to the same record or a field are prevented by the DBMS through BC57allows an application to multitask within itself multiprocessing multithreading multiplexing none of the B above BC58 LAN stands for Linear area Local area Local array of None of the B above BC59 New process of execution is referred to as task process thread client- C							
background,while the user can continue his query process as usual in the foreground. This situation is referred to as			-				
usual in the foreground. This situation is referred to as	BC53	A new user initiates a new process of execution at the	multiprocessing	multithreading	multiplexing	none of the	В
usual in the foreground. This situation is referred to as		background, while the user can continue his guery process as					
BC54 The process of data being automatically written to a duplicate repairing redo logging disk disk D database is called							
database is called Code/De-code Modulation/Dem odulation mirroring BC55 Modem stands for Code/De-code Modulation/Dem odulation module above BC56 Multiple changes to the same record or a field are prevented by the DBMS through BC57allows an application to multitask within itself multiprocessing multithreading multiplexing none of the B above BC58 LAN stands for Linear area Local area Local array of None of the B networks networks networks. above BC59 New process of execution is referred to as task process thread client- C		*					
BC55 Modem stands for Code/De-code	BC54	The process of data being automatically written to a duplicate	repairing	redo logging	disk	disk	D
BC55 Modem stands for Code/De-code		detakasa ta salla d			ala fina anno a mita di a m		
BC56 Multiple changes to the same record or a field are prevented by the DBMS through	DCEE		Codo/Do codo	Modulation/Dom			D
BC56 Multiple changes to the same record or a field are prevented by the DBMS through BC57allows an application to multitask within itself multiprocessing multithreading multiplexing none of the B above BC58 LAN stands for Linear area Local area Local array of networks networks networks. above BC59 New process of execution is referred to as task process thread client- C	DC33	modern stands for	Code/De-code				D
by the DBMS through	BC56	Multiple changes to the same record or a field are prevented	fives				D
BC57allows an application to multitask within itself multiprocessing multithreading multiplexing none of the B above BC58 LAN stands for Linear area Local area Local array of None of the B networks networks networks. above BC59 New process of execution is referred to as task process thread client- C	DC30	·	lixes	IUCKS	COnstraints	паръ	Ь
BC58 LAN stands for Linear area Local area Local array of None of the B networks networks networks. above BC59 New process of execution is referred to as task process thread client- C	BC57	<u> </u>	multiprocessing	multithroading	multiploying	none of the	D
BC58 LAN stands for Linear area Local area Local array of None of the B networks networks networks. above BC59 New process of execution is referred to as task process thread client- C	DC31	anows an application to multitask within itself	multiprocessing	multimeading	multiplexing		ט
BC59 New process of execution is referred to as task process thread client- C	BC58	I AN stands for	Linear area	Local area	Local array of		R
BC59 New process of execution is referred to as task process thread client- C	15000	LAN Stands IVI			•		
· F · · · · · · · · · · · · · · · · · ·	BC59	New process of execution is referred to as					С
		Tion process of excounter is referred to as	taon	p.00000	anoud	server	



CA107	In integrated test facility approach the auditor should ensure that the impact of test transaction is subsequently eliminated from the computer files	TRUE	FALSE			Α
CA108	In olrt the cpu should posses the capability of program interrupt interrupts	TRUE	FALSE			Α
CA109	In system testing,test involves	BOTTOM UP	TOP DOWN	HYBRID TESTS	ALL THE	D
		TESTS	TESTS		ABOVE	
CA11	All input records in a batch are normally of different types	TRUE	FALSE			В
CA110	In the planning phase gathering information and risk assessment will be done	TRUE	FALSE			Α
CA111	Information collection encompasses logging the selected auditable events	TRUE	FALSE			Α
CA112	Input controls are designed to ensure processing safety	TRUE	FALSE			В
	Integrated test facility is a facility of	PARALLEL	SOURCE CODE	TEST DATA	NONE OF	С
		PROCESSING	REVIEW	APPROACH	THESE	
CA114	Internal tables are stored tables from which certain values are extracted for further processing and storing	TRUE	FALSE			Α
CA115	Log analysers are required by the auditor	HARDWARE	SOFTWARE	NETWORK	NONE OF THESE	В
CA116	Log analyzers is	AUDIT TOOL	SOFTWARE	MACHINE	SOFTWAR E USED TO READ AND ANALYZE RECORDS OF MACHINE	
0.4.4.7		TRUE	E41.0E	ACTIVITY	ACTIVITY	
CA117	Log analyzer is a software used by auditor to detect virus	TRUE	FALSE			В
CA118	Mapping software is used by the auditor to list unused program instruction has veryspecific objectives	TRUE	FALSE			Α
CA119	Master file configuration includes	REFERENCE FILE	TABLE FILES	REPORT FILE	NONE OF THE ABOVE	D
CA12	All material application -oriented events that occur within the boundary sub-system should be recorded in the accounting audit trail	TRUE	FALSE		7.50 7 2	A
CA120	Master file contains current records for identification and summarising	TRUE	FALSE			В



CA121	Metadata approach is	APPROACH TO	APPROACH TO	IT IS DATA	ALL THE	С
	metauata appi vacii is		THE		ALL IIIL	U
		THE SYSTEM	APPLICATION	ABOUT SOME		
		DATA ONLY	DATA ONLY	OTHER DATA	ABOVE	
CA122	Modeling is a variety of software which	CAN BE VERY	CAN ENABLE	CAN PROVIDE	ALL THE	D
			THE AUDITOR	THE AUDITOR		
		POWERFUL	TO EXAMINE	WITH USEFUL		
			PROVISION ON	INFORMATION		
		ANALYTICAL	A NUMBER OF	ON TRENDS		
		TOOL	DIFFERENT		4 D O \ / E	
0.4.00		TOOL	BASES	AND PATTERN	ABOVE	^
CA123	One-to-one relationship means a single entity to a single	TRUE	FALSE			Α
00404	entity in a monogenus structure	TDUE	ENICE			
CA124	On-line processing refers to grouping of transaction	TRUE	FALSE			В
C 4 4 0 5	processing the same in one go from start to finish	TDUE	ENICE			٨
CA125	On-line testing can be targeted for specific function carried	TRUE	FALSE			Α
04400	out by programs	OOLIED!!! E	MANIAOF	ENIADLE MULTI	ALL THE	
CA126	Operating systems are devised to optimise the machine	SCHEDULE	MANAGE	ENABLE MULTI	ALL THE	D
			HARDWARE	USER		
			AND SOFTWARE	RESOURCE		
	capabilities-the function include:	JOBS	RESOURCES	SHARING	ABOVE	
CA127	Parallel processing is a concept associated with	OS AND RAM	OS AND ROM	OS AND	NONE OF	С
0,112,	i aranoi processing is a concept associated with	CO / NAD IVAIN	CO / NAD INOINI	MICROPROCES		
	and			SOR	ABOVE	
CA128	Parallelsimulation is there to authenticate the system	REEL SYSTEM	REAL SYSTEM	BOTH (A) AND	DATABAS	В
				(B)	E SYSTEM	
CA129	Prevention, detection, investigation and reaction are the	FUNCTION	ROLE	BOTH (A) AND	NONE OF	В
	of an auditor			(B)	THESE	
CA13	Any audit enable software may include	COMPLETENES	ACCURACY	AVAILABILITY	ALL THE	D
0.4.05		S		DOTIL (A) AND	ABOVE	
CA130	Procedure driven approach of auditing is	TRADITIONAL	LATEST	BOTH (A) AND	NONE OF	Α
		ADDDOAGU	ADDDOAGU	(D)	THE	
0.401		APPROACH	APPROACH	(B)	ABOVE	
CA131	Processing controls can be grouped into general controls	TRUE	FALSE			В



CA132	Program code analysis involves	PROVIDES	IDENTIFIES	EXAMINATION	NONE OF	С
			PROGRAM	OF SOURCE		
		DETAILED		CODE OF A		
			CODES WHICH	PROGRAM		
		INFORMATION	MAY BE THERE	WITH A VIEW	THE	
			FOR	TO		
		ON MACHINE	FRAUDULENT	FOLLOWING		
		USAGE	REASON	THE LOGIC OF	ABOVE	
CA133	Programme code analysis is being implemented by the	COMPANY	DATABASE	A PROGRAM AUDITOR	AUDITOR	D
OA 133	rrogramme code analysis is being implemented by the	COMI ANT		AUDITOR	USING	D
			ADMINISTRATO		COMPUTE	
			R		RS	
CA134	Public audit trail is an important control in system that use	PUBLIC KEY	PRIVATE KEY	DIGITAL	NONE OF	С
	for authentication purposes			SIGNATURE	THESE	
CA135	Rdbms is a structured into a series of 2-dimensional table	TRUE	FALSE			Α
CA136	Real time refers to the technique of updating files with	TRUE	FALSE			Α
	transaction data immediately after the occurrence of the event					
	to which it vrelates					
CA137	Reasonableness checking is	TYPE OF	TYPE OF	TYPE OF SIGN	NONE OF	Α
		RECORD	RANGE	TEST	THESE	
C \ 139	Recording transactions in a controlled manner may amount to	CHECK	CHECKS FALSE	IESI	THESE	В
CA 130	loss of stored data	TROL	TALOL			Ь
CA139	Regular cross-system validation may minimise frauds	TRUE	FALSE			Α
CA14	Application controls can be categorized into types	4	2	5	3	D
	7. pp. 10. 11. 11. 11. 11. 11. 11. 11. 11. 11	•	_			_
CA140	Risk assessment is a phase of an audit	TRUE	FALSE			Α
	Risk assessment is the phase of	AUDIT	AUDIT	ALL THE	NONE OF	В
	• —		THROUGH		THE	
			COMPUTERS	ABOVE	ABOVE	
CA142	Scarf involves embedding audit software modules within an	TRUE	FALSE			Α
	application system to provide continuous monitoring					
	Security audit can be done through oracle database	TRUE	FALSE			Α
CA144	Security can be broken into areas	RISK	DETERRENCE	PREVENTION	ALL THE	D
0.4.45	O'control of the Control of the Cont	AVOIDANCE	EALOE		ABOVE	^
	Sign test is a type of field checks on processed data	TRUE	FALSE			Α
CA146	Snapshot is a software which takes a "picture" of a file or data	IKUE	FALSE			Α
	or a transaction processing through the system					



CA147	Snapshot is a technique of which is a part of	AUDIT	AUDIT	AUDITING	NONE OF	Α
	audit software	ROUTINE	TECHNIQUE		THESE	
CA148	Source code review means	IDENTIFYING	IDENTIFYING	IDENTIFYING	ALL THE	D
		ENORMOUS	INEFFECTIVE	NON- STANDARD		
		CODE	CODE	CODE	ABOVE	
CA149	Specialised audit programs may be	PREPARED BY	PREPARED BY	PREPARED BY	ALL THE	D
				AN OUTSIDE		
				PROGRAMMER		
				ENGAGED BY		
		THE AUDITOR	THE ENTITY	THE AUDITOR	ABOVE	
CA15	Application controls grouped into	TWO GROUPS		FOUR GROUPS		В
			GROUPS		ABOVE	
CA150	Super computer are the largest and fastest and is very	TRUE	FALSE			Α
	suitablefor commercial applicationincluding audit work					
CA151	, i , i , i , i , i , i , i , i , i , i	TRUE	FALSE			Α
	authorisation,approval,testing,implementation and					
	documentation of new systems software and system software modification					
CA152	System privilege can be checked by auditor	TRUE	FALSE			Α
	System security audit is an on site inspection ,which	TRUE	FALSE			Α
	identifies potential securityvulnerabilities within an organization					
CA154	Test data can be defined as	SAMPLE OF	SAMPLE OF	SAMPLE OF	ALL THE	С
		DATA USED	DATA USED	DATA USED		
		FOR THE	FOR THE	FOR TESTING		
		PURPOSE OF	PURPOSE OF	THE		
		TESTING THE	CHECKING LOG	APPLICATION		
		SYSTEM		I INCOIN WINE	A DOVE	
CAAEE	Test data mask is	SOFTWARE	FILES STREAM OF	PROGARMME	ABOVE	D
CATSS	Test data pack is	STREAM OF	DATA THAT	BOTH (A) AND	NONE OF	Ь
			ARE			
			GENERATED			
			BY TEST DATA			
			TECHNIQUE			
		DATA	TOOLS	(B)	THESE	
CA156	The contents of a field could determine sign for field	INVALID	BOTH C & D	VALID	NUMERIC	В



CA157	The move towards paperless edi would eliminate much of the traditional audit trail,radically changing the nature of audit evidence	TRUE	FALSE			Α
CA158	The stream of data that are generated by these tools is called	TEST DATA	TEST DATA	TEST DATA	NONE OF THE	С
	as the		APPROACH	PACK	ABOVE	
CA159	The transition from manual system to cis environment bring	CHANGE IN THE METHOD	USE OF	ABSENCE OF	ALL THE	D
		OF RECORDING ACCOUNTING	ACCOUNTING			
	dramatic changes including	TRANSACTION	CODES	AUDIT TRAIL	ABOVE	
CA16	Ar=ir*cr*dr	TRUE	FALSE			Α
CA160	The validation checks applied to a field depend on the fields	TRUE	FALSE			Α
CA161	Indicate Interrelationships with other fields in the record There are types of approaches of test data techniques	ONE	TWO	THREE	FOUR	В
CA162	There are types of control totals	2	4	3	5	В
CA163	There are types of audits of the systems development process	THREE	FOUR	TWO	ONE	Α
CA164	There are types of checks that can run when data is input through a terminal	FIVE	THREE	FOUR	ONE	С
CA165	There aretypes of checks frequently used in validating the data	4	2	5	3	Α
CA166	There are 13 system development phases while audit of the system development processes	TRUE	FALSE			Α
CA167	There are four type of audit risks	TRUE	FALSE			В
CA168	Top down tests,bottom up tests and hybrid tests are under	INTER TABLE	SYSTEM TEST	TABLE LEVEL	NONE OF	В
	the category	TEST		TESTS	THESE	
CA169	Tracing helps to analyse the change caused by viruses	TRUE	FALSE			Α
CA17	Assembler language uses mnemonic symbols	TRUE	FALSE			Α
CA170	Transaction file contain relatively permanent records take	TRUE	FALSE			В
0.4.1=1	product profile,customer profile,employee profile etc.	TOUE				
CA171	Transactions are not lost ,added,duplicated or improperly changed is called as control over input	TRUE	FALSE			Α
CA172	Validation checks is applied to a field depend on the field's	TRUE	FALSE			Α
	logical interrelationships with other fields in the records					



CA173	Whenever monetary transaction are processed against master files, the update program should maintain a correlation account to record such transaction that does not have a	TRUE	FALSE			В
	matching master file record					
CA174	White box testing focuses on finding if there are any	TRUE	FALSE			Α
	defective execution paths in a program					
	White box approach is program based	TRUE	FALSE			В
CA176	With olrt where interactive data entry is available ,the master	TRUE	FALSE			Α
	file associated with a transaction may be searched for confirming data					
CA18	Audit around the computer is called	BLACK BOX	WHITE BOX	BOTH (A) AND	NONE OF	Α
	·	APPROACH	APPROACH	(B)	THESE	
CA19	Audit risk cannot be viewed as a joint probability of inherent	TRUE	FALSE			В
	risk,control risk and detection risk					
CA2	White box approach necessarily involves expert knowledge	TRUE	FALSE			Α
	on the part of auditor					
CA20	Audit software is a type of audit technique	TRUE	FALSE			Α
CA21	Audit software is used by the auditor to	READ DATA ON	PROVIDE	REPERFORM PROCEDURES	ALL THE	D
			INFORMATION	CARRIED OUT BY THE CLIENT'S		
		CLIENT'S FILES	TO THE AUDIT	PROGRAMS	ABOVE	
CA22	Audit software can be categorized under heads	2	4	5	3	D
CA23	Audit software can be divided into categories	TWO	FOUR	THREE	NONE OF THESE	С
CA24	Audit through can be done using simulation	TRUE	FALSE			Α
CA25	Audit trail should be periodically analysed to detect any control weaknesses of the system	TRUE	FALSE			Α
CA26	Audit with networking and database help is called	WHITE BOX	BLACK BOX	ALL THE	NONE OF	Δ
CAZO	Addit with hetworking and database help is called	WHITE BOX	DEACK BOX	ALL IIIL	THE	^
		APPROACH	APPROACH	ABOVE	ABOVE	
CA27	Auditing is a form of attestation	TRUE	FALSE			Α
CA28	Auditor can also check default roles in oracle database	TRUE	FALSE			Α
	software					
CA29	Auditor can combine functional capabilities of generalized	EXAMINE THE	CARRYING	EXAMINING	ALL THE	D
		THE QUALITY OF SYSTEM	ANALYSING	THE QUALITY		
	audit software to accomplish the task of	PROCESS	REVIEW	OF DATA	ABOVE	



CA3	Is the file management software package that lets	FILE	FILE-O-MAN	THE FILE	FILEPET	С
	users and programmers organise data into files and then					
	process those files			MANAGER		
CA30	Auditors can issue the sql commands to audit	TRUE	FALSE			Α
CA31	Auditors can use profiles in their white-box approach of auditing	TRUE	FALSE			Α
CA32	Auditors cannot use generalised audit software to extract the data needed for audit purposes	TRUE	FALSE			В
CA33	Auditors has to take care of the fact to link between multiple databases with one application	TRUE	FALSE			Α
CA34	Base case system evaluation includes	FICTITIOUS	COMPARISON	ANALYSING	ALL THE	Α
		DATA APPLIED AGAINST THE	OF SOURCE	THE PICTURE		
		CLIENT	VERSION OF A	OF A FILE OR		
		PROGRAM	PROGRAM	DATA	ABOVE	
CA35	Black box approach is specification based	TRUE	FALSE			Α
CA36	Black box testing is based and white box testing is based	BOTH C & D	HARDWARE	SPECIFICATIO N	PROGRAM	Α
CA37	Black box testing seeks to determine whether application output is what it is supposed to be	TRUE	FALSE			Α
CA38	Caat do not contain package programs, purpose written	TRUE	FALSE			В
	programmes, utility program or system management program					
CA39	Caat's are computer program and data the auditor uses as	TRUE	FALSE			Α
	part of audit procedures to process data of audit significance					
	contained in an entity's information system					
CA4	A sample size calculator program assists auditors in determining rand() function	TRUE	FALSE			В
CA40	Caat's are computer programs and data the auditor uses as a part of the audit procedures	TRUE	FALSE			Α
CA41	Case-is	COMPUTER AIDED SOFTWARE	COMPUTER AIDED SOFTWARE	COMPUTER AIDED SOFTWARE	NONE OF	С
CA42	Check digit is a group of numbers added to a code for	EDITOR TRUE	EMBEDDED FALSE	ENGINEERING	THESE	В
0/42	determining the accuracy of other digits with code	INOL	IALUL			ט
CA43	Check digit is a tool under field checks	TRUE	FALSE			Α
CA44	Check digit is a type of	FIELD CHECKS	RECORD	BOTH (A) AND	NONE OF	A
O∆ 44	Check digit is a type of	I ILLD OF ILONG	CHECKS	(B)	THESE	^
CA45	Codd's rule are being implemented on database	TRUE	FALSE	_/		В



CA46	Computer assisted audit technique involves the use of	TRUE	FALSE			В
	computer through "black box " approach					
CA47	Computer operation controls are designed to provide	THE USE OF	PROVIDING	USE OF ANY	NONE OF	D
		COMPUTERS	ACCESS TO COMPUTER TO		THE	
		BY ALL	ALL		THE	
		DIALL	ORGANIZATION	1		
		CONCERNED	PERSONEL	PROGRAMS	ABOVE	
CA48	Computer security is frequently associated with confidentiality, integrity and authentication	TRUE	FALSE			Α
CA49	Concurrent audit include auditors as members of s.d team	TRUE	FALSE			Α
CA5	A sequence check on the transaction or master file by an	TRUE	FALSE			Α
	update program is not required					
CA50	Concurrent audit is taking care of the data that is	PREVIOUS	CURRENT	ALL THE ABOVE NONE	NONE OF	В
	being transacted	DATA	DATA	OF THESE	THESE	
CA51	Confidentiality,integrity and availability are the major security attributes to the auditor	TRUE	FALSE			Α
CA52	Control total is under batch checks	TRUE	FALSE			Α
CA53	Controls are present over many aspects of the computer	TRUE	FALSE			Α
	system and its surrounding social environments					
CA54	Controls are required for authorisation,to ensure data	TRUE	FALSE			Α
	integration and to detect possible breachesin security	_	_			
CA55	Conventional data entry giving way to scanner, digitised image	TRUE	FALSE			Α
	processors etc. For auditing in cis environment	-	_			
CA56	Core image comparison is a used by the auditor	TYPE OF	TYPE OF	TYPE OF	NONE OF	В
		NETWORK	SOFTWARE	HARDWARE	THESE	
CA57	Core image comparison is a type of audit technique	TRUE	FALSE			Α
CA58	Core image comparison is particularly useful where only	TRUE	FALSE			Α
	executable versions are distributed					
CA59	Critical review of the system of book-keeping,accountingand	TRUE	FALSE			Α
	internal organizational controls.					
CA6	A system could be	NATURAL/MAN	OPEN/CLOSED	CONCEPTUAL/	ALL THE	D
	,	MADE		PHYSICAL	ABOVE	
CA60	Cryptographic techniques are the part of security audit	TRUE	FALSE	·		Α
CA61	Data communication and networking would introduce new audit risk	TRUE	FALSE			Α
CA62	Data from client application are not stored in the	TRUE	FALSE			В
	organisations database through auditable events and functions					



CA63	Data integrity can be imposed on the database through dbms	TRUE	FALSE			Α
CA64	Data reverse engineering process metadata to document system and abstract business rules and relationships	TRUE	FALSE			Α
CA65	Data security in audit techniques can be done through three ways	TRUE	FALSE			Α
CA66	Database analyser is a software which provides detailed information concerning the operation of the database	TRUE	FALSE			Α
CA67	Databases are a key element in most business-related information systems	TRUE	FALSE			Α
CA68	Ddl,dml,dcl-statements can be exercised in rdbms	TRUE	FALSE			Α
CA69	Deterrenece meance	THREAT	BROADCASTIN G	NETWORK	NONE OF THESE	Α
CA7	A system ehibit entropy	TRUE	FALSE			Α
CA70	Dss has the following components	DATABASE	PLANNING LANGUAGE	MODEL BASE	ALL THE ABOVE	D
CA71	Dss is defined as a system that provides tools to managers to assist them in solving structural problem	TRUE	FALSE			В
CA72	Embedded audit routines are sometimes built into an entity's	TRUE	FALSE			A
0.470	computer system to provide data for later use by the auditor	TOUE	E41.0E			
CA73	Embedded code is a software used by the auditor to examine backup	TRUE	FALSE			В
CA74	Embedded code performs a wide variety of audit tasks	TRUE	FALSE			Α
CA75	Errors are corrected :	AT THE YEAR END	IMMEDIATELY	ON QUARTERLY BASIS	NONE OF THE ABOVE	В
CA76	Event detection is an audit procedure	TRUE	FALSE	DAGIO	ADOVL	Α
CA77	Event detection is the audit procedures	TRUE	FALSE			A
CA78	Examine the quality of data is not the task of generalized audit software	TRUE	FALSE			В
CA79	Examine the quality of system processes is	AUDIT TASK OF	AUDIT TASK OF THE AUDITORS USING	THE	ALL THE	С
		THE AUDITOR	COMPUTERS	SOFTWARE	ABOVE	
CA8	A system means -totality	TRUE	FALSE			Α
CA80	Field check is exclusive to a field	TRUE	FALSE			Α
CA81	File access is a function of software	GENERALIZED AUDIT	SPECIALIZED AUDIT	UTILITY PROGRAM	NONE OF THESE	Α



CASS	Ocheralized addit Software Definite additions to undertake Dinv	IIVOL	I / LOL			
CA95	verifying processing logic Generalized audit software permits auditors to undertake only	TRUE	FALSE			Α
CA94	Generalized audit software has only limited capabilities for	TRUE	FALSE			Α
CA93	Generalized audit software has infile capabilities for verifying processing logic	TRUE	FALSE			Α
		PROCESSING FUNCTION	L CONCEPTS	TRANSACTION	NAIRE	
		DATA			QUESTION	1
		VARIETY OF				
		PROGRAM FOR PERFORMING A			ERED	
		COMPUTER				
CA92	simultaneously Generalized audit software consists	PACKAGE	MATHEMATICA	A MASTER LIST	ADMINIST	Α
CA91	Generalised audit software never allow several files to be read	TRUE	FALSE			В
		NIZATION	OPERATION	ANALYSES	ABOVE	
		ACCESS/ORGA	RITHMETICAL	N AND FREQUENCY		
CA90	Generalised audit software function include	FILE	STATISTICAL/A	STRATIFICATIO	ALL THE	D
CA9	A transaction file is sorted prior to the update of master file	TRUE	FALSE			Α
040	identifying inconsistencies or significant fluctuations	TDUE	FALOE			
CA89	Generalised audit software could be used by the auditor for	TRUE	FALSE			Α
CA88	General purpose software provides a framework for highly complex scientific operations	TRUE	FALSE			В
	tested as a whole the testing strategy is referred to as:				G BALL	
CA87	For small to medium sized systems, individual modules are coded and individually tested and then assembled to be	C-DRAIN	BIG BANG	STUB	BOUNCIN	В
C A 97	software would be a necessity	C-BRAIN	DIC DANC	CTUD	DOLINGIN	D
CA86	For computerised auditing,usage of sophisticated audit	TRUE	FALSE			Α
CA85	File volatility refers to the number of additions and deletions to the file in a given period of time	TRUE	FALSE			Α
	file					
CA84	are actually used or accssed in a given processing run File integration refers to the of information from a	BACKUPS	RETRIEVAL	DELETION	ADDITION	R
CA83	File activity is the proportion of transaction file records that	TRUE	FALSE			В
CA8Z	File access will be the functional capabilities of generalized audit software					Α
CA82	File access will be the functional canabilities of generalized	TRUE	FALSE			Α



CA96	Generalized audit software provides the full set of arithmetic	TRUE	FALSE			Α
	operators					
CA97	Hash total is a type of	CONTROL	TRANSACTION	BATCH SERIAL	SEQUENC	Α
		TOTAL	TYPE	NUMBER	E CHECK	
CA98	Hash totals falls under control totals	TRUE	FALSE			Α

